

Section 2 Contents



| Description | Group | Page |
|---------------------------------------------------------------------------------------|----------------|--------------------------|
| Abrasive Coated Sponges Sheets & Coils | .201 | 337 |
| Air Hose & Balancers | . 258 | 387 |
| Air Tools - Drills | . 270 | . 404 - 407 |
| - Hammers & Scalers | . 270 | . 415 - 416 |
| - Nibblers, Saws & Shears - Riveters | 270 | 418 |
| - Sanders - Screwdrivers | . 270 | . 418 - 422 |
| - Wrenches | 270 | 425 - 431 |
| Airline Accessories Bench Grinders | . 259 | . 390 - 398 432 |
| Cable Protectors | . 281 | 531 |
| Cable Reels, Plugs & Sockets | . 210 | . 350 - 353 |
| Cartridge Rolls. Circular Saw Blades | . 205 | 347 |
| Cleaners & Sweepers | . 279 | . 453 - 459 |
| Compressors | . 273 230 | . 444 - 447 357 - 359 |
| DIY Power Tools | . 279 | . 460 - 471 |
| Diamond Coated Burrs | . 280 | 529 |
| Whetstones Dust Extractors | 256 | 384 |
| Electric Glue Guns & Stapler | . 279 | 472 |
| Fibre Abrasives Flap Discs | . 220 | . 354 - 355 |
| Wheels | . 220 | 356 |
| Garden Power ToolsGenerators | . 273 | . 448 - 449 |
| Grinding Pastes & Compounds. Grinding Wheels | . 257 | . 385 - 386 |
| Industrial Hoses & Tubes | . 258 | . 388 - 389 |
| Industrial Power Tools - Cordless Drills | . 279 . 279 | . 478 - 489 491 |
| - Cordless Saws | . 279 | 490 |
| - Cordless Drivers | . 279 | 492 |
| - Demolition Hammers - Drills | .279 | 499 493 - 498 |
| - Grinders | . 279 | . 500 - 506 |
| - Jointers, Planers & Trimmers - Nibblers & Tappers | . 279 | 509 |
| - Routers - Sanders & Polishers | . 279 | 511 |
| - Heat Guns | 279 | 507 |
| - Saws | 279 279 | . 514 - 521 508 |
| ligsaw Rlades | 240 | 364 - 366 |
| Lighting Light Fittings & Switches | 281 | 530 - 531 |
| Machine Tools - Drills - Morticing Machines & Planers | 271 271 | . 434 - 437 439 |
| - Lathes | 271 | 438 |
| - Sanders - Saws | . 271 | . 441 - 443 |
| - Thicknessers Magnetic Drilling Machines | 271 | 439 |
| Mounted Points | . 250 | . 378 - 379 |
| Multi-Tooth Drilling Cutters Oilstones | 255 | 380 - 383 |
| Plumbing Fittings . Pneumatic Cylinders & Valves | .292 | .559 - 561 |
| Polishing & Lapping | 247 | 374 - 377 |
| Power Tool Batteries & Chargers Power Tool Accessories. | . 280 | . 522 - 523 |
| Power Tools Chisels | . 289 | . 554 - 555 |
| Pressure Washers | . 279 | . 450 - 452 562 |
| Push-Fit Compressed Air Fittings Pneumatic Fittings Outlet Fit Programmetric Fittings | .291 | .556 - 558 |
| Quick-Fit Pneumatic Fittings | 287 | 546 - 551 |
| Sabre Saw Blades Sanding Bands | . 241 | 366 346 |
| Belts | .204 | .344 - 345 |
| Discs - Fibre Backed | 202 | . 338 - 339 |
| - Velcro Backed | . 203 | . 342 - 343 |
| Surface Preparation Products | . 205 | . 348 - 349 |
| Site Heaters & Fans | 282 | 536 - 537 |
| Wire Wheels & Brushes | .295 | . 566 - 567 |

KENNEDY Sanding QUALITY INDUSTRIAL TOOLING Sheets

Industrial aluminium oxide sanding paper is 'glue' bonded and suitable for use with hand sanding blocks



| Grit | | Order Code KEN-200 | | |
|-----------|-------------------|-----------------------|---------|-------|
| 1/3 She | et (93m | m Wide x | 230mm L | .ong) |
| P120 Fine | 230g | -9110K | £5.86 | £4.10 |
| P80 Med | 290g | -9150K | £6.26 | £4.38 |
| P50 Cse | 330g | -9190K | £8.03 | £5.62 |
| 1/2 Shee | et (115 n | nm Wide x | 280mm | Long) |
| P120 Fine | 400g | -9410K | £8.10 | £5.67 |
| P80 Med | | -9450K | | £5.82 |
| P50 Cse | 570g | -9490K | £10.25 | £7.17 |
| | | | | |

SENATOR Glass QUALITY TOOLING Paper

Suitable for joinery and general woodworking use ideal for surface preparation prior to painting. Size: 230mm wide x 280mm long.



| Grit | Order Code SEN-200 | List Price/50 | Offer Price/50 |
|---------------------------------------|-----------------------|------------------|----------------|
| 00 | -8010K | £12.35 | £8.03 |
| 0 | -8020K | £12.35 | £8.03 |
| 1 | -8030K | £12.35 | £8.03 |
| 1.5 | -8040K | £12.35 | £8.03 |
| F2 | -8060K | £12.35 | £8.03 |
| M2 | -8070K | £14.67 | £9.54 |
| S2 | -8080K | £14.67 | £9.54 |
| Assorted Sheets Glass Paper (pk 5) | -8100K | £2.55 | £1.53 |

Assorted Emery Strips

Approximately 100 strips of assorted grades. Sizes 1" (25mm) x 10" (250mm). Suitable for a variety of industrial, garage and workshop applications



SEN-200

-9000K

Price/1

Price/1

£17.40 £10.44

*V*₄ Sheet Hand Sanding Pad

Made from compound rubber. With curved and flat sides. Complete with locating spikes.



Suitable for all types of coated abrasive sheets.

Accepts a standard 230 x 280mm sheet split down into quarters across the width, as shown.

| Width x Length x Height (mm) | Weight each | Order Code KEN-280 | List Price/1 | Offer Price/1 |
|------------------------------|-------------|-----------------------|-----------------|---------------|
| 70 x 125 x 35 | 360g | -4100K | £3.17 | £2.28 |

3M Red Paper Rolls

A very open coat 'F' weight paper roll designed to minimise loading when used to sand soft resinous woods.

Size: 115mm wide x 50m long.



| Grit | Weight each | Order Code MMM-201 | List Price/1 | Offer Price/1 |
|--------------|------------------|--------------------|-----------------|------------------|
| P40 | 8.00kg | -7024D | | £48.38 |
| P60 P80 | 7.00kg 6.00kg | -7024F -7024G | | £40.62 £35.45 |
| P100 P120 | 5.00kg 4.25kg | -7024H -7024J | £43.31 | £32.48 £32.48 |
| P180 | 4.25kg | -7024L | £43.31 | £32.48 |

Garnet Paper Sheets

Weight

110N

Flexible 'A' weight garnet paper for hand sanding on wood.
Size: 230mm wide x 280mm long.



| - 1 | Grit | VVCIGIIC | Oraci Ooac | LISC | Olici |
|-----|------|----------|------------|-----------|-----------|
| | ant | per 1000 | MMM-201 | Price/100 | Price/100 |
| P | 100 | 15.8kg | -5008H | £33.42 | £25.07 |
| Ρ | 120 | 11.9kg | -5009J | £33.42 | £25.07 |
| Ρ | 150 | 10.2kg | -5010K | £33.42 | £25.07 |
| P | 180 | 9.4kg | -5011L | £33.42 | £25.07 |

Order Code

Sanding Strips

1960

ldeal for sanding wood, paint, GRP and lacquer. With dry lubricant to reduce clogging. Excellent life and consistent finish with easy change strips to reduce workshop wastage.



| Grit | Weight each | Order Code SIA-200 | | Offer Price/100 |
|------|-------------|-----------------------|--------|--------------------|
| P60 | | -6220D | £28.51 | £21.38 |
| P80 | | -6220E | £23.53 | £17.65 |
| P100 | | -6220F | £21.06 | £15.79 |

3M Utility Cloth

NEW

3140

An aluminum oxide abrasive product rolls and sheets constructed on a J weight, durable cloth backing. For use in metalworking.



| | Kolls | | | | |
|---|-------|------------|-----------------------|-----------------|---------------|
| | Grit | Size | Order Code MMM-201 | List Price/1 | Offer Price/1 |
| | | | | | |
| | P40 | 25mm x 25m | -0001C | £12.83 | £9.62 |
| | P60 | 25mm x 25m | -0001E | £11.65 | £8.74 |
| | P80 | 25mm x 25m | -0001F | £10.70 | £8.03 |
| | P100 | 25mm x 25m | -0001G | £10.37 | £7.78 |
| | P120 | 25mm x 25m | -0001H | £10.37 | £7.78 |
| | P150 | 25mm x 25m | -0001J | £10.37 | £7.78 |
| | P240 | 25mm x 25m | -0001L | £10.37 | £7.78 |
| | P320 | 25mm x 25m | -0001M | £10.37 | £7.78 |
| | P400 | 25mm x 25m | -0001N | £10.37 | £7.78 |
| | P80 | 50mm x 25m | -0003F | £20.90 | £15.68 |
| | P120 | 50mm x 25m | -0003H | £19.91 | £14.93 |
| | P150 | 50mm x 25m | -0003J | £19.91 | £14.93 |
| l | | | | | |

| Shee | Sheets | | | | | |
|------|-------------|-----------------------|--------|--------|--|--|
| Grit | Size | Order Code MMM-201 | | | | |
| P40 | 230 x 280mm | -0004C£ | 116.15 | £87.11 | | |
| P50 | 230 x 280mm | -0004D£ | 108.05 | £81.04 | | |
| P60 | 230 x 280mm | -0004E £ | 100.72 | £75.54 | | |
| P80 | 230 x 280mm | -0004F | £92.99 | £69.74 | | |
| P100 | 230 x 280mm | -0004G | £86.55 | £64.91 | | |
| P120 | 230 x 280mm | -0004H | £86.55 | £64.91 | | |
| P150 | 230 x 280mm | -0004J | £86.55 | £64.91 | | |
| P180 | 230 x 280mm | -0004K | £86.55 | £64.91 | | |
| P240 | 230 x 280mm | -0004L | £86.55 | £64.91 | | |
| P320 | 230 x 280mm | -0004M | £86.55 | £64.91 | | |
| P400 | 230 x 280mm | -0004N | £86.55 | £64.91 | | |

Qty 100

(approx)

Size

25x250

Abrasives &

Offer

List

Abrasives & Power Too

NORTON Aluminium Oxide Cloth

Rolls

In a useful dispensing pack with a perforated edge to facilitate cutting to required size, these high quality aluminium oxide

rolls are ideal for hand-sanding jobs.



| Product Number | Grit | Order Code NOR-201 | List Price/1 | Offer Price/1 | | |
|-------------------|----------------------|-----------------------|-----------------|---------------|--|--|
| | 25mm Wide x 25m Long | | | | | |
| 35214 | P40 | -2404D | £18.15 | £14.88 | | |
| 018312M | P60 | -2406F | £16.10 | £13.20 | | |
| 018287M | P80 | -2407G | £14.68 | £12.04 | | |
| 018254M | P100 | -2408H | £14.13 | £11.59 | | |
| 018221M | P120 | -2409J | £14.13 | £11.59 | | |
| 018196M | P150 | -2410K | £14.13 | £11.59 | | |
| 018163M | P180 | -2411L | £14.13 | £11.59 | | |
| 018130M | P220 | -2412M | £14.13 | £11.59 | | |
| 018108M | P240 | -2413N | £14.13 | £11.59 | | |
| 018050M | P320 | -2415R | £14.13 | £11.59 | | |
| 018028M | P400 | -2417T | £14.13 | £11.59 | | |
| | 50mn | n Wide x 25 | m Long | | | |
| 018334M | P60 | -2556F | £30.88 | £25.32 | | |
| 018301M | P80 | -2557G | £29.39 | £24.10 | | |
| 018276M | P100 | -2558H | £26.96 | £22.11 | | |
| 018243M | P120 | -2559J | £26.96 | £22.11 | | |
| 018210M | P150 | -2560K | £26.96 | £22.11 | | |
| 018185M | P180 | -2561L | £26.96 | £22.11 | | |
| 018152M | P220 | -2562M | £26.96 | £22.11 | | |
| 018120M | P240 | -2563N | £26.96 | £22.11 | | |
| 018072M | P320 | -2565R | £26.96 | £22.11 | | |
| | | | | | | |

Sheets Size: 230mm wide x 280mm long.



| Product Number | Grit | Order Code NOR-201 | | Offer Price/100 |
|-------------------|------|-----------------------|---------|--------------------|
| 014608M | P80 | -1405G | £130.05 | £106.64 |
| 014719M | P100 | -1406H | £121.96 | £100.01 |
| 014720M | P120 | -1406W | £121.96 | £100.01 |
| 014810M | P240 | -1411N | £121.96 | £100.01 |
| 014832M | P320 | -1413R | £121.96 | £100.01 |
| 014843M | P400 | -1414T | £121.96 | £100.01 |
| 014854M | P600 | -1415W | £121.96 | £100.01 |
| | | | | |

HERMES Aluminium Oxide Rolls

Heavy Duty

Aluminium oxide paper for sanding wood and metal. 115mm x 50m

Open coat aluminium oxide paper for wood, metal, fibreglass, paint, filler and laquer. 115mm x 50m.



| GIIL | HER-201 | Price/1 | Price/1 | | |
|------------|---------|---------|---------|--|--|
| Heavy Duty | | | | | |
| P40 | -2023D | £73.15 | £49.74 | | |
| P60 | -2024E | £57.18 | £38.88 | | |
| P80 | -2025F | £49.57 | £33.71 | | |
| P100 | -2026G | £44.82 | | | |
| P120 | -2027H | £44.82 | £30.48 | | |
| P150 | -2028J | | £30.48 | | |
| P180 | -2029K | £44.82 | £30.48 | | |
| | Medium | | | | |
| P40 | -2903D | £51.51 | £35.03 | | |
| P60 | -2904E | £40.27 | £27.38 | | |
| P80 | -2905F | £34.90 | £23.73 | | |
| P120 | -2907H | £31.56 | | | |
| P150 | -2908J | £31.56 | £21.46 | | |

SENATOR. Aluminium Oxide Cloth

Aluminium oxide resinoid, cloth backed, X weight for workshop use.



Rolls

25mm wide x 46m.



| Grit | Order Code SEN-200 | List Price/1 | Offer Price/1 |
|------|-----------------------|-----------------|------------------|
| P60 | -2170K | £15.66 | £10.18 |
| P120 | -2110K | £13.94 | £9.06 |
| P180 | -2080K | £13.94 | £9.06 |
| P240 | -2060K | £13.94 | £9.06 |

Sheets

Size: 230 x 280mm (9" x 11"). Supplied in packs of 25.



| Grit | Order Code SEN-200 | List Price/25 | Offer Price/25 |
|------|-----------------------|------------------|-------------------|
| P60 | -4010K | £33.87 | £22.02 |
| P120 | -4030K | £29.10 | £18.91 |
| P180 | -4050K | £29.10 | £18.91 |
| P240 | -4070K | £29.10 | £18.91 |

3M Aluminium Oxide Paper Sheets

210

A stiff D weight anti-loading aluminium oxide paper sheet. Used to sand a variety of materials such as wood, filler, metal and paints.

| Grit | Weight per 50 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|------------------|-----------------------|-------------------|--------------------|
| | 230mm | Wide x 28 | Omm Long | { |
| P40 | 4.00kg | -6000A | £75.67 | £56.75 |
| P60 | 3.20kg | -6001B | £58.25 | £43.69 |
| P80 | 2.70kg | -6002C | £46.96 | £35.22 |
| P120 | 2.10kg | -6004E | £41.86 | £31.39 |

KENNEDY Aluminium QUALITY INDUSTRIAL TOOLING Oxide Cloth

Superflex aluminium oxide is 'resin bonded over resin' on a very flexible J-weight blue twill cloth. Moisture resistant and electrostatically coated for

polishing flat and contoured surfaces in most materials.



| Grit | Weight each | Order Code KEN-200 | List Price/1 | Offer Price/1 |
|------|----------------|------------------------------|-----------------|------------------|
| | 25m | m Wide x 50r | n Long | |
| P40 | 1.65kg | -2210K | £29.64 | £20.75 |
| P60 | 1.20kg | -2170K | £26.88 | £18.82 |
| P80 | 0.95kg | -2150K | £24.70 | £17.29 |
| P100 | 1.00kg | -2130K | £23.94 | £16.76 |
| P120 | 0.80kg | -2110K | £23.94 | £16.76 |
| P150 | 0.70kg | -2090K | £23.94 | £16.76 |
| P180 | 0.70kg | -2080K | £23.94 | £16.76 |
| P220 | 0.70kg | -2070K | £23.94 | £16.76 |
| P240 | 0.65kg | -2060K | £23.94 | £16.76 |
| P280 | 0.55kg | -2050K | £23.94 | £16.76 |
| P320 | 0.60kg | -2030K | £23.94 | £16.76 |
| | | m Wide x 50r | | |
| P60 | 2.00kg | -2470K | £38.68 | £27.08 |
| P80 | 1.70kg | -2450K | £36.16 | £25.31 |
| P100 | 1.40kg | -2430K | £34.68 | £24.28 |
| P120 | 1.30kg | -2410K | £34.68 | £24.28 |
| P150 | 1.10kg | -2390K | £34.68 | £24.28 |
| P220 | 1.15kg | -2370K | £32.18 | £22.53 |
| | | m Wide x 50r | | |
| P40 | 3.35kg | -2810K | £58.42 | £40.89 |
| P60 | 2.30kg | -2770K | £50.64 | £35.45 |
| P80 | 2.10kg | -2750K | £48.26 | £33.78 |
| P100 | 1.60kg | -2730K | £45.96 | £32.17 |
| P120 | 1.60kg | -2710K | £45.96 | £32.17 |
| P150 | 1.40kg | -2690K | £45.96 | £32.17 |
| P180 | 1.60kg | -2680K | £45.96 | £32.17 |
| P220 | 1.30kg | -2670K | £45.96 | £32.17 |
| P240 | 1.30kg | -2660K | £45.96 | £32.17 |
| P320 | 1.15kg | -2630K | £45.96 | £32.17 |

Sheets 230 x 280mm (9" x 11"). Supplied in packs of 50.



| Grit | Weight per 50 | Order Code KEN-200 | List Price/50 | Offer Price/50 |
|------|------------------|-----------------------|------------------|-------------------|
| | 230mm | Wide x 280 | Omm Long | |
| P40 | 4.00kg | -3210K | £67.04 | £46.93 |
| P50 | 3.25kg | -3190K | £62.37 | £43.66 |
| P60 | 3.20kg | -3170K | £58.14 | £40.70 |
| P80 | 2.70kg | -3150K | £53.68 | £37.58 |
| P100 | 2.25kg | -3130K | £49.96 | £34.97 |
| P120 | 2.10kg | -3110K | £49.96 | £34.97 |
| P150 | 1.95kg | -3090K | £49.96 | £34.97 |
| P180 | 1.85kg | -3080K | £49.96 | £34.97 |
| P220 | 1.75kg | -3070K | £49.96 | £34.97 |
| P240 | 1.70kg | -3060K | £49.96 | £34.97 |
| P280 | 1.75kg | -3050K | £49.96 | £34.97 |
| P320 | 1.50kg | -3030K | £49.96 | £34.97 |

KENNEDY Economy QUALITY INDUSTRIAL TOOLING Emery Cloth

Blue twill economy emery is 'glue bonded' to a very flexible J-weight blue twill cloth. Suitable for general purpose, light duty workshop use.





| Rolls | | | | |
|-----------|--------|------------|---------|---------|
| Grit | Weight | Order Code | List | Offer |
| GIIL | each | KEN-200 | Price/1 | Price/1 |
| | 25mm \ | Wide x 50m | ı Long | |
| P40 (3) | 1.30kg | -0210K | £25.19 | £17.63 |
| P50 (2.5) | 1.30kg | -0190K | £23.84 | £16.69 |
| P60 (2) | 1.20kg | -0170K | £22.85 | £15.99 |
| P80 (1.5) | 0.90kg | -0150K | £21.00 | £14.70 |
| P100 (1) | 0.90kg | -0130K | £20.35 | £14.24 |
| P120 (F) | 0.75kg | -0110K | £20.35 | £14.24 |
| P150 (FF) | 0.60kg | -0090K | £20.35 | £14.24 |
| P220 (0) | 0.50kg | -0070K | £20.35 | £14.24 |
| P280 (00) | 0.50kg | -0050K | £20.35 | £14.24 |
| | 38mm \ | Wide x 50m | ı Long | |
| P50 (2.5) | 1.70kg | -0490K | £33.11 | £23.18 |
| P60 (2) | 1.50kg | -0470K | £32.88 | £23.02 |
| P80 (1.5) | 0.95kg | -0450K | £30.74 | £21.52 |
| P100 (1) | 1.10kg | -0430K | £29.48 | £20.64 |
| P120 (F) | 1.00kg | -0410K | £29.48 | £20.64 |
| P150 (FF) | 1.00kg | -0390K | £29.48 | £20.64 |
| P220 (0) | 0.70kg | -0370K | £29.48 | £20.64 |
| | 50mm \ | Wide x 50m | ı Long | |
| P40 (3) | 2.40kg | -0810K | £49.66 | £34.76 |
| P50 (2.5) | 2.10kg | -0790K | £46.48 | £32.54 |
| P60 (2) | 1.90kg | -0770K | £43.04 | £30.13 |
| P80 (1.5) | 1.70kg | -0750K | £41.02 | £28.71 |
| P100 (1) | 1.80kg | -0730K | £39.07 | £27.35 |
| P120 (F) | 1.20kg | -0710K | £39.07 | £27.35 |
| P150 (FF) | 1.20kg | -0690K | £39.07 | £27.35 |
| P220 (0) | 0.90kg | -0670K | £39.07 | £27.35 |
| P280 (00) | 0.90kg | -0650K | £39.07 | £27.35 |

Sheets 230 x 280mm (9" x 11"). Supplied



| Grit | Weight per 50 | Order Code KEN-200 | List Price/50 F | |
|-----------|------------------|-----------------------|--------------------|--------|
| P40 (3) | 3.35kg | -1210K | £56.98 | £39.89 |
| P50 (2.5) | 3.00kg | -1190K | £53.01 | £37.11 |
| P60 (2) | 2.50kg | -1170K | £49.42 | £34.59 |
| P80 (1.5) | 1.80kg | -1150K | £45.63 | £31.94 |
| P100 (1) | 2.20kg | -1130K | £42.47 | £29.73 |
| P120 (F) | 1.80kg | -1110K | £42.47 | £29.73 |
| P150 (FF) | 1.25kg | -1090K | £42.47 | £29.73 |
| P220 (0) | 1.60kg | -1070K | £42.47 | £29.73 |
| P280 (00) | 1.15kg | -1050K | £42.47 | £29.73 |

Wet or Dry Silicon Carbide Paper

Silicon carbide is waterproof-resin bonded to paper suitable for wet and dry production polishing and finishing of a wide range of materials including metals, plastics, paintwork, ceramics etc.

Supplied in packs of 50.



| Grit | Weight per 50 | Order Code KEN-200 | | Offer Price/100 |
|-------|------------------|------------------------------|----------|--------------------|
| | 230mm | Wide x 28 | 0mm Long | |
| P60 | 2.00kg | -7060K | £108.49 | £75.94 |
| P80 | 1.65kg | -7080K | £93.63 | £65.54 |
| P100 | 1.55kg | -7100K | £82.18 | £57.53 |
| P120 | 1.50kg | -7120K | £74.09 | £51.86 |
| P150 | 1.25kg | -7140K | £67.98 | £47.59 |
| P180 | 1.20kg | -7160K | £67.98 | £47.59 |
| P220 | 1.10kg | -7180K | £67.98 | £47.59 |
| P240 | 1.00kg | -7200K | £67.98 | £47.59 |
| P280 | 0.95kg | -7220K | £67.98 | £47.59 |
| P320 | 0.85kg | -7240K | £67.98 | £47.59 |
| P360 | 0.80kg | -7260K | £67.98 | £47.59 |
| P400 | 0.70kg | -7280K | £67.98 | £47.59 |
| P500 | 0.65kg | -7300K | £67.98 | £47.59 |
| P600 | 0.60kg | -7320K | £67.98 | £47.59 |
| P800 | 0.55kg | -7340K | £67.98 | £47.59 |
| P1000 | 0.55kg | -7360K | £67.98 | £47.59 |
| P1200 | 0.55kg | -7380K | £67.98 | £47.59 |

3M Silicone Carbide Paper Sheets

618

A flexible A weight high performance silicon carbide sheet. Ideal for finishing paints and lacquers, wood and plastics



| | Grit | Weight per 50 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|---|------|------------------|-----------------------|-------------------|--------------------|
| • | | 230mm | Wide x 280 | Omm Long | |
| | P80 | 2.70kg | -6014G | £53.88 | £40.41 |
| | P100 | 2.25kg | -6014H | £47.99 | £35.99 |
| | P120 | 2.10kg | -6014J | £47.99 | £35.99 |
| | P150 | 1.95kg | -6014L | £47.99 | £35.99 |
| | P180 | 1.85kg | -6014K | £47.99 | £35.99 |
| | P220 | 1.80kg | -6014M | £47.99 | £35.99 |
| | P240 | 1.80kg | -6014N | £47.99 | £35.99 |
| | P280 | 1.75kg | -6014P | £47.99 | £35.99 |
| | P320 | 1.50kg | -6014Q | £47.99 | £35.99 |
| | P400 | 1.40kg | -6014S | £47.99 | £35.99 |
| | P500 | _ | -6014T | £47.99 | £35.99 |

3M Wet or DryTM

734

Aggressive fast cutting waterproof silicon carbide paper, for use on paints, lacquers and fillers.


Size: 230mm wide x 280mm long.



| . | Weight | Order Code | List | Offer |
|----------|--------|------------|---------|----------|
| Grit | per 50 | MMM-201 | | Price/50 |
| P60 | 2.00kg | -6170A | £108.49 | £81.37 |
| P80 | 1.65kg | -6171B | £93.63 | £70.22 |
| P100 | 1.55kg | -6172C | £82.18 | £61.63 |
| P120 | 1.50kg | -6173D | £74.09 | £55.57 |
| P150 | 1.25kg | -6130A | £67.98 | £50.98 |
| P180 | 1.20kg | -6131B | £67.98 | £50.98 |
| P220 | 1.10kg | -6132C | £67.98 | £50.98 |
| P240 | 1.00kg | -6133D | £67.98 | £50.98 |
| P280 | 0.90kg | -6134E | £67.98 | £50.98 |
| P320 | 0.85kg | -6135F | £67.98 | £50.98 |
| P360 | 0.80kg | -6136G | £67.98 | £50.98 |
| P400 | 0.70kg | -6137H | £67.98 | £50.98 |
| P500 | 0.65kg | -6138J | £67.98 | £50.98 |
| P600 | 0.60kg | -6139K | £67.98 | £50.98 |
| P800 | 0.55kg | -6140L | £67.98 | £50.98 |
| P1000 | 0.55kg | -6141M | £67.98 | £50.98 |
| P1200 | 0.55kg | -6142N | £67.98 | £50.98 |
| | | | | |

HERMES Silicone Carbide Abrasive Sheets

Flexible silicon carbide paper for finishing wood, paint, lacquer and plastic. Pack quantity: 50



| Grit | Weight each | Order Code HER-201 | List Price/100 | Offer Price/100 |
|------|-------------|---------------------------|-------------------|--------------------|
| P80 | | -0605F | £56.52 | £38.43 |
| P120 | | -0607H | £50.38 | £34.26 |
| P180 | | -0609K | £50.38 | £34.26 |
| P240 | | -0611M | £50.38 | £34.26 |
| P320 | | -0613P | £50.38 | £34.26 |
| P400 | | -0615R | £50.38 | £34.26 |

SENATOR Wet and Dry QUALITY TOOLING Sheet Kit

Silicon carbide. Waterproof-resin bonded paper. Suitable for wet & dry applications. For metal and wood giving a high quality surface preparation and an excellent key for following coats.



| Grit | | Order Code SEN-200 | | |
|-------|------|-----------------------|-------|-------|
| Mixed | 370g | -8200K | £9.27 | £6.03 |

Abrasives & Power Tools

Sanding **Sponges**

3M sanding sponges offer a variety of grades and flexibilities for contour sanding on woods and lacquers.

Standard Sponge - 96 x 66 x 25mm
This semi-flexible sponge is coated on all



| Grade | Order Code MMM-201 | | Offer Price/24 |
|--------|--------------------|---------|-------------------|
| Fine | -6017A | £18.89 | £14.17 |
| Medium | -6017D | £18.89 | £14.17 |
| Coarse | -6017F | £113.36 | £85.02 |

Hi-Flex Sponge - 96 x 123 x 12.5mm The Hi-Flex sponge is coated on two sides and is very flexible as well as durable.



| Grade | Order Code | List | Offer |
|--------|------------|----------|----------|
| | MMM-201 | Price/24 | Price/24 |
| Fine | -6017M | | £12.86 |
| Medium | -6017Y | | £12.86 |

Softback Sponge - 115 x 140 x 5mm

This sponge is coated on one face. At just 5mm thick it is the most conformable of all the sanding sponges and is available in three different grades.



| Grade | Order Code MMM-201 | List Price/20 | Offer Price/20 |
|-----------|--------------------|------------------|-------------------|
| Superfine | -6018E | £19.64 | £14.73 |
| Fine | -6018M | £19.64 | £14.73 |
| Medium | -6018R | £19.64 | £14.73 |

YORK Flexible ABRASIVES Abrasives

Abrasive covered foam for general purpose sanding on wood.



Double Sided Blocks Square End


Abrasive coated semi flexible sponge, coated on all four surfaces. Suitable for sanding 90° contoured surfaces. Available in



| Grade | Weight each | Order Code YRK-201 | List Price/1 | Offer Price/1 |
|------------------|----------------|-----------------------|-----------------|------------------|
| Fine | 21g | -9000K | £0.52 | £0.34 |
| Fine/ Medium | 23g | -9010K | £0.52 | £0.34 |
| Medium | 27g | -9020K | £0.52 | £0.34 |
| Medium Coarse | 29g | -9030K | £0.52 | £0.34 |

Chamfered Sanding Block

Semi flexible abrasive coated sponge. The different surface angles allow awkwardly contoured wooden surfaces to be easily sanded.





| Grade | Weight each | Order Code YRK-201 | List Price/1 | Offer Price/1 |
|--------|-------------|-----------------------|-----------------|------------------|
| Medium | 20g | -8310K | £0.64 | £0.42 |
| Fine | 14g | -8320K | £0.64 | £0.42 |

Double Sided Blocks Rounded End

Suitable for sanding concaved wooden contours. Semi flexible abrasive coated sponge.

Available in two different grades. (96 x 65 x 26mm).



| Grade | Weight each | Order Code YRK-201 | List Price/1 | Offer Price/1 |
|--------|----------------|-----------------------|-----------------|------------------|
| Medium | 22g | -9110K | £0.90 | £0.59 |
| Fine | 18g | -9120K | £0.90 | £0.59 |

Double Sided Pads

Flexible abrasive coated sponge pads will conform to most contoured surface shape. Coated with abrasive on both sides. Available in three different grades.




(230 x 98 x 12.5mm).

| Grade | Weight each | Order Code YRK-201 | List Price/1 | Offer Price/1 |
|--------|----------------|-----------------------|-----------------|------------------|
| Coarse | 52g | -8500K | £0.96 | £0.62 |
| Medium | 48g | -8510K | £0.96 | £0.62 |
| Fine | 45g | -8520K | £0.96 | £0.62 |

Single Sided Pads

Single sided highly flexible abrasive coated sponge pad. Will conform to the shape of any contoured surface. Available in three different grades.



| Grade | Weight each | Order Code YRK-201 | List Price/1 | Offer Price/1 |
|------------|-------------|-----------------------|-----------------|------------------|
| Medium | 15g | -9510K | £0.59 | £0.38 |
| Fine | 13g | -9520K | £0.59 | £0.38 |
| Super Fine | 10g | -9530K | £0.59 | £0.38 |
| | | | | |

Double Sided Pads

Flexible abrasive coated sponge pads will conform to most contoured surface shape. Coated with abrasive on both sides. Available in two different grades. (120 x 96 x 12.5mm).



| Grade | Weight | Order Code | List | Offer |
|--------|--------|------------|---------|---------|
| | each | YRK-201 | Price/1 | Price/1 |
| Medium | 18g | -9310K | £0.47 | £0.31 |
| Fine | 11g | -9320K | £0.47 | £0.31 |

Foam Discs

Flexible abrasive coated sponge pads will conform to most contoured surface shape.

Available in three grades. (13mm thick)



| Dia. (mm) | Grade | | Order Code YRK-201 | | Offer Price/1 |
|--------------|--------|-----|-----------------------|-------|---------------|
| | Coarse | 21g | -8100K | £0.91 | £0.59 |
| 127 | Medium | 15g | -8110K | £0.91 | £0.59 |
| 127 | Fine | 11g | -8120K | £0.91 | £0.59 |
| 152 | Coarse | 28g | -8200K | £0.91 | £0.59 |
| 152 | Medium | 20g | -8210K | £0.91 | £0.59 |
| 152 | Fine | 15g | -8220K | £0.91 | £0.59 |

Power Too

YORK Fibre

Aluminium Oxide General Purpose Grade

Resin fibre backed sanding discs are designed for a wide range of industrial applications. High speed penetration of tough and high tensile materials combined with long disc life and

optimum flexibility ensure York sanding discs give first class performance every time. Recommended for use with all portable grinders and sanders.



| Grit | Weight | | List | Offer |
|---------|------------|-----------|-----------|-----------|
| | per 100 | YRK-202 | | Price/100 |
| 100mm I | Diameter x | 16mm Bo | re Max 12 | 2,400rpm |
| P24 | 0.55kg | -2010K | £51.66 | £36.16 |
| P36 | 0.55kg | -2030K | £49.19 | £34.43 |
| P50 | 0.45kg | -2050K | £45.26 | |
| P60 | 0.45kg | -2060K | £43.41 | |
| P80 | 0.40kg | -2070K | £41.12 | |
| P100 | 0.35kg | -2080K | £41.12 | |
| P120 | 0.35kg | -2090K | £41.12 | |
| P24 | 1.70kg | -2110K | £62.68 | |
| | | 22mm Bo | | L,000rpm |
| P36 | 1.65kg | -2130K | £59.71 | |
| P50 | 1.60kg | -2150K | £55.05 | |
| P60 | 1.55kg | -2160K | £52.73 | |
| P80 | 1.50kg | -2170K | £49.74 | |
| P100 | 1.50kg | -2180K | £49.74 | |
| P120 | 1.45kg | -2190K | £49.74 | £34.82 |
| 127mm l | Diameter x | 22mm Bo | re Max 10 | 0,000rpm |
| P24 | 0.70kg | -2210K | £74.35 | £52.05 |
| P36 | 0.80kg | -2230K | £70.81 | £49.57 |
| P50 | 0.70kg | -2250K | £65.91 | £46.14 |
| P60 | 0.70kg | -2260K | £61.83 | £43.28 |
| P80 | 0.60kg | -2270K | £58.27 | |
| P100 | 0.60kg | -2280K | £58.27 | |
| P120 | 0.60kg | -2290K | £58.27 | £40.79 |
| 178mm | Diameter 2 | x 22mm Bo | ore Max 7 | ,000rpm |
| P24 | 1.95kg | -2410K | £133.31 | £93.32 |
| P36 | 1.80kg | -2430K | £126.97 | £88.88 |
| P50 | 1.55kg | -2450K | £118.30 | £82.81 |
| P60 | 1.55kg | -2460K | £110.98 | £77.69 |
| P80 | 1.40kg | -2470K | £104.51 | £73.16 |
| P100 | 1.35kg | -2480K | £104.51 | £73.16 |
| P120 | 1.30kg | -2490K | £104.51 | £73.16 |

Zirconium Stainless Steel Grade

The zirconia grain is supported by grinding additives which lubricate and cool the area being ground and help prevent clogging, prolonging the effective life of the

disc. Suitable for use on all types of stainless steels, weld seams castings and other sophisticated metals for extended periods. removing large amounts of metal without excess heat

build up.

Page **338**



| Grit | weignt | Order Code | LIST | Offer |
|-------|------------|------------|-----------|-----------|
| GIIC | per 25 | YRK-202 | Price/100 | Price/100 |
| 115mm | Diameter > | 22mm Bo | re Max 13 | 3,300rpm |
| P36 | 0.65kg | -4130K | £105.00 | £73.50 |
| P50 | 0.60kg | -4150K | £97.29 | £68.10 |
| P60 | 0.55kg | -4160K | £93.46 | £65.42 |
| P80 | 0.80kg | -4170K | £88.34 | £61.84 |
| P100 | 0.50kg | -4180K | £88.34 | £61.84 |
| P120 | 0.45kg | -4190K | £88.34 | £61.84 |
| 178mm | n Diameter | x 22mm B | ore Max 8 | 3,600rpm |
| P50 | 0.65kg | -4450K | £216.68 | £151.68 |
| P80 | 0.85kg | -4470K | £194.04 | £135.83 |
| P100 | 0.55kg | -4480K | £194.04 | £135.83 |

KENNEDY Fibre QUALITY INDUSTRIAL TOOLING DISCS

Aluminium Oxide

Designed for a wide range of applications. High speed penetration of tough and high tensile materials combined

with long disc life and optimum flexibility ensure Kennedy sanding discs give first class performance every time.

Recommended for use with all portable grinders and sanders.



| | | - | | |
|--------------|------------------|-----------------------|--------------------|--------------------|
| Grit | Weight per 25 | Order Code KEN-202 | List Price/100 | Offer Price/100 |
| 100mm [| Diameter x | 16mm Bo | | 2,400rpm |
| P24 | 0.55kg | -2010K | £51.66 | £36.16 |
| P36 | 0.55kg | -2030K | £49.19 | £34.43 |
| P50 | 0.45kg | -2050K | £45.26 | £31.68 |
| P60 | 0.45kg | -2060K | £43.41 | £30.39 |
| P80 | 0.40kg | -2070K | £41.12 | £28.78 |
| P100 | 0.35kg | -2080K | £41.12 | £28.78 |
| P120 | 0.35kg | -2090K | £41.12 | £28.78 |
| | Diameter x | | | L,000rpm |
| P24 | 0.70kg | -2110K | £62.68 | £43.88 |
| P36 | 0.65kg | -2130K | £59.71 | £41.80 |
| P50 | 0.60kg | -2150K | £55.05 | £38.53 |
| P60 | 0.55kg | -2160K | £52.73 | £36.91 |
| P80 | 0.50kg | -2170K | £49.74 | £34.82 |
| P100 | 0.50kg | -2180K | £49.74 | £34.82 |
| P120 | 0.45kg | -2190K | £49.74 | £34.82 |
| | Diameter x | | | 0,000rpm |
| P24 | 0.70kg | -2210K | £74.35 | £52.05 |
| P36 | 0.80kg | -2230K | £70.81 | £49.57 |
| <u>P50</u> | 0.70kg | -2250K | £65.91 | £46.14 |
| P60 | 0.70kg | -2260K | £61.83 | £43.28 |
| P80 | 0.60kg | -2270K | £58.27 | £40.79 |
| P100 | 0.60kg | -2280K | £58.27 | £40.79 |
| P120 | 0.60kg | -2290K | £58.27 | £40.79 |
| | Diameter: | | | ,000rpm |
| P24 | 1.95kg | -2410K | £133.31 | £93.32 |
| P36 | 1.80kg | -2430K | £126.97 | £88.88 |
| <u>P50</u> | 1.55kg | -2450K | £118.30 | £82.81 |
| P60 P80 | 1.55kg 1.40kg | -2460K -2470K | £110.98 £104.51 | £77.69 £73.16 |
| P100 | 1.40kg 1.35kg | -2470K -2480K | £104.51 | £73.16 |
| P100 P120 | 1.35kg 1.25kg | -2480K -2490K | £104.51 | £73.16 |
| - 1 120 | 1.20ng | 2730K | 2107.01 | 210.10 |

Zirc

4819

Tough durable zirconia grain with grinding aid to reduce heat build up and glazing.





| Grit | Weight per 25 | Order Code SIA-202 | List Price/100 | Offer Price/100 |
|------|------------------|-----------------------|-------------------|--------------------|
| | 100mm D | iameter x 1 | L6mm Bor | е |
| P36 | 0.55kg | -1001E | £77.47 | £49.58 |
| P60 | 0.45kg | -1004H | £68.45 | £43.81 |
| P80 | 0.40kg | -1005J | £65.04 | £41.63 |
| P100 | 0.38kg | -1006K | £65.04 | £41.63 |
| P120 | 0.35kg | -1007L | £65.04 | £41.63 |
| | 115mm D | iameter x 2 | 22mm Bor | е |
| P36 | 0.65kg | -1500D | £91.10 | £58.30 |
| P50 | 0.60kg | -1503G | £85.06 | £54.44 |
| _P60 | 0.55kg | -1504H | £81.10 | £51.90 |
| P80 | 0.50kg | -1505J | £76.41 | £48.90 |
| P100 | 0.45kg | -1506K | £76.41 | £48.90 |
| P120 | 0.45kg | -1507L | £76.41 | £48.90 |
| | 125mm D | iameter x 2 | 22mm Bor | е |
| P40 | | -1510D | £104.07 | £66.60 |
| P36 | 0.80kg | -1511E | £100.55 | £64.35 |
| _P60 | 0.70kg | -1514H | £89.27 | £57.13 |
| P80 | 0.60kg | -1515J | £84.36 | £53.99 |
| P120 | 0.60kg | -1517L | £84.36 | £53.99 |
| | 180mm D | iameter x 2 | 22mm Bor | е |
| P36 | 1.95kg | -1521E | £195.48 | |
| P50 | 1.75kg | -1523G | £183.14 | £117.21 |
| _P60 | 1.55kg | -1524H | £173.80 | £111.23 |
| P80 | 1.40kg | -1525J | £163.80 | £104.83 |
| P100 | 1.30kg | -1526K | £163.80 | |
| P120 | 1.25kg | -1527L | £163.80 | £104.83 |

SENATOR, Fibre QUALITY TOOLING Disc Kit

Aluminium Oxide resin backed fibre. Long disc life. Optimum flexibility. For metal and wood. For use with portable grinders and sanders.

Contents:

5 each of P24,P36, P60, P80, P120. All discs - 115 x 22mm.

Pack of 25 discs.

Weight per 25

0.45kg




-8500K

List

Premium Cubitron Fibre Discs

985C

3M's premium blended Cubitron™ disc. Superior performance in all metal grinding applications. More aggressive cut and longer life than 3M 785C discs.




| Grit | Size | Order Code MMM-201 | | |
|------|------------|-----------------------|------------------|---------|
| P36 | 16 x 100mm | -6720B | £74.72 | £56.04 |
| P60 | 16 x 100mm | -6720E | £65.38 | £49.03 |
| P80 | 16 x 100mm | -6720F | £62.72 | £47.04 |
| P24 | 22 x 115mm | -6721A | £96.07 | £72.05 |
| P36 | 22 x 115mm | -6721B | £90.74 | £68.06 |
| P50 | 22 x 115mm | -6721D | £84.07 | £63.05 |
| P60 | 22 x 115mm | -6721E | £80.06 | £60.05 |
| P80 | 22 x 115mm | -6721F | £76.06 | £57.05 |
| P24 | 22 x 127mm | -6722A | £113.41 | £85.06 |
| P36 | 22 x 127mm | -6722B | £108.09 | £81.07 |
| P50 | 22 x 127mm | -6722D | £100.08 | £75.06 |
| P60 | 22 x 127mm | -6722E | £94.74 | £71.06 |
| P80 | 22 x 127mm | -6722F | £88.07 | £66.05 |
| P24 | 22 x 178mm | -6724A | £204.16 £ | £153.12 |
| P36 | 22 x 178mm | -6724B | £193.48 £ | £145.11 |
| P50 | 22 x 178mm | -6724D | £180.14 £ | £135.10 |
| P60 | 22 x 178mm | -6724E | £169.47 £ | £127.10 |
| P80 | 22 x 178mm | -6724F ± | £160.12 £ | E120.09 |



Ceramic Fibre Discs

785C Cubitron

A Cubitron™ abrasive grain disc constructed on a fibre backing. Features grinding aid for cooler grinding. Excellent performance on hard-to-grind metals such as stainless steel and exotic alloys. Recommended for medium pressure applications.



| Grit | Weight | Order Code | List | Offer |
|--------------|------------------|------------------|--------------------|---------------------------|
| | per 100 | MMM-201 | | Price/100 |
| | | x 16mm Bo | | 2,400rpm |
| P36 | 2.40kg | -6649B | £65.60 | £49.20 |
| P50 | 2.10kg | -6649D | £60.33 | £45.25 |
| <u>P60</u> | 2.00kg | -6649F | £57.84 | £43.38 |
| P80 | 1.80kg | -6649H | £54.87 | £41.15 |
| P100 | 1.80kg | -6649K | £54.87 | £41.15 |
| P120 | 1.60kg | -6649M | £54.87 | £41.15 |
| | Diameter : | x 22mm Bo | | 1,000rpm |
| P24 | | -6650A | £83.57 | £62.68 |
| P36 | 2.90kg | -6650B | £79.61 | £59.71 |
| <u>P50</u> | 4.60kg | -6650D | £73.39 | £55.04 |
| P60 P80 | 3.10kg | -6650F -6650H | £70.30 £66.29 | £52.73 £49.72 |
| P100 | 2.20kg | -6650K | £66.29 | £49.72 |
| P100 P120 | 2.10kg 2.50kg | -6650M | £66.29 | £49.72 |
| | | | 200.20 | |
| | Diameter : | | e Max 1. £99.13 | 1,000rpm £74.35 |
| P24 P36 | 3.70kg | -6651A -6651B | £94.40 | £70.80 |
| P50 | 3.70kg 3.10kg | -6651D | £87.89 | £65.92 |
| P60 | 3.00kg | -6651F | £82.44 | £61.83 |
| P80 | 2.70kg | -6651H | £77.69 | £58.27 |
| P120 | 2.7 UNG | -6651M | £77.69 | £58.27 |
| | Diameter | x 22mm B | | .000rpm |
| P24 | Diameter | -6652A | £177.76 | |
| P24 P36 | 6.40kg | -6652B | £177.76 | |
| P50 | 5.10kg | -6652D | £157.75 | |
| P60 | 5.10kg | -6652F | £147.96 | |
| P80 | 4.90kg | -6652H | £139.37 | |
| P100 | 4.50Ng | -6652K | £139.37 | |
| P120 | 4.40kg | -6652M | £139.37 | |
| . 120 | rong | JJOLIVI | 2100.01 | 1.00 |

Aluminium Zirc Fibre Discs Cubitron

581C AZ

A fit for purpose fibre disc for heavy, medium and light grinding applications. Good performance and a consistent quality finish. High performance alumina zirconia (AZ) mineral bonded to a vulcanized fibre backing. Conveniently packaged with 50 discs on a re-usable disc-holder clamping system, for easy storage and retention of disc shape and form. Good performance on stainless and mild steel as well as other ferrous and non-ferrous materials.





| Grit | Size | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|------------|--------------------|-------------------|--------------------|
| P24 | 16 x 100mm | -6730A | £29.47 | £22.10 |
| P36 | 16 x 100mm | -6730B | £27.37 | £20.53 |
| P50 | 16 x 100mm | -6730D | £25.26 | £18.95 |
| P60 | 16 x 100mm | -6730E | £25.26 | £18.95 |
| P80 | 16 x 100mm | -6730F | £23.15 | £17.36 |
| P120 | 16 x 100mm | -6730H | £21.05 | £15.79 |
| P24 | 22 x 115mm | -6731A | £37.89 | £28.42 |
| P36 | 22 x 115mm | -6731B | £35.79 | £26.84 |
| P50 | 22 x 115mm | -6731D | £31.57 | £23.68 |
| P60 | 22 x 115mm | -6731E | £31.57 | £23.68 |
| P80 | 22 x 115mm | -6731F | £25.26 | £18.95 |
| P120 | 22 x 115mm | -6731H | £23.15 | £17.36 |
| P24 | 22 x 125mm | -6732A | £50.53 | £37.90 |
| P36 | 22 x 125mm | -6732B | £50.53 | £37.90 |
| P50 | 22 x 125mm | -6732D | £39.99 | £29.99 |
| P60 | 22 x 125mm | -6732E | £39.99 | £29.99 |
| P80 | 22 x 125mm | -6732F | £37.89 | £28.42 |
| P120 | 22 x 125mm | -6732H | £29.47 | £22.10 |
| P24 | 22 x 180mm | -6734A | £84.20 | £63.15 |
| P36 | 22 x 180mm | -6734B | £80.00 | £60.00 |
| P50 | 22 x 180mm | -6734D | £69.46 | £52.09 |
| P60 | 22 x 180mm | -6734E | £69.46 | £52.09 |
| P80 | 22 x 180mm | -6734F | £58.94 | £44.20 |
| P120 | 22 x 180mm | -6734H | £54.74 | £41.05 |

Aluminium Zirc Fibre Discs

Type 501C

This high peforming aluminium zirconia (AZ) fibre disc has been designed to perform exceptionally well on all metals. It is an excellent multi-purpose fibre disc.





| Grit | Weight per 100 | | | Price/100 |
|---------|-------------------|-----------|-----------|-----------|
| 100mm [| Diameter 2 | k 16mm Bo | | |
| P24 | 2.20kg | -6392B | | £38.74 |
| P36 | 2.40kg | -6392C | | £36.89 |
| P60 | 2.40kg | -6392E | | £32.56 |
| P80 | 2.50kg | -6392F | £41.12 | £30.84 |
| 115mm [| Diameter 2 | k 22mm Bo | re Max 1: | 1,000rpm |
| P24 | 3.30kg | -6393B | £62.68 | £47.01 |
| P36 | 3.00kg | -6393C | £59.71 | £44.78 |
| P50 | 2.40kg | -6393D | £55.05 | £41.29 |
| P60 | 2.40kg | -6393E | £52.73 | £39.55 |
| P80 | 2.40kg | -6393F | £49.74 | £37.30 |
| P100 | 2.40kg | -6393G | £49.74 | £37.30 |
| P120 | 2.40kg | -6393H | £49.74 | £37.30 |
| 127mm [| Diameter 2 | c 22mm Bo | re Max 10 | 0,000rpm |
| P24 | 3.70kg | -6394B | £74.35 | £55.76 |
| P36 | 3.40kg | -6394C | £70.81 | £53.11 |
| P50 | 3.00kg | -6394D | £65.91 | £49.43 |
| P60 | 3.00kg | -6394E | £61.83 | £46.37 |
| P80 | 2.55kg | -6394F | £58.27 | £43.70 |
| P120 | 2.40kg | -6394H | £58.27 | £43.70 |
| 178mm | Diameter | x 22mm B | ore Max 7 | ,000rpm |
| P24 | 4.80kg | -6396B | £133.31 | £99.98 |
| P36 | 5.00kg | -6396C | £126.97 | |
| P50 | 5.20kg | -6396D | £118.30 | |
| P60 | 5.30kg | -6396E | £110.98 | |
| P80 | 4.80kg | -6396F | £104.51 | £78.38 |
| P100 | 4.80kg | -6396G | £104.51 | £78.38 |



3M 245


Fast cutting aluminium oxide mineral coated onto a heavy paper. Coarse stock removal on wood, metal and fillers.




Hole Pattern: 600A. 6 Hole.



Finishing product coated onto a film backing for consistent finishing. Aluminium oxide with an anti-load coating.




Plain (no holes).




| Grit | Weight per 100 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|-------------------|---------------------------|-------------------|--------------------|
| P40 | 7.20kg | -6352D | £32.50 | £24.38 |
| P60 | 6.35kg | -6352F | £31.58 | £23.68 |
| P80 | 5.85kg | -6352G | £30.73 | £23.05 |
| P120 | 5.20kg | -6352J | £28.22 | £21.16 |

Plain (no holes).



| Grit | Weight per 100 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|-------------------|---------------------------|-------------------|--------------------|
| P40 | 9.90kg | -6222D | £43.31 | £32.48 |
| P60 | 8.75kg | -6222F | £42.18 | £31.64 |
| P80 | 7.00kg | -6222G | £41.01 | £30.76 |
| P100 | 6.70kg | -6222H | £39.07 | £29.30 |
| P120 | 5.80kg | -6222J | £39.07 | £29.30 |

Hole Pattern: 500A. 5 Hole.



| 125 |
|-----|
| 125 |
| mm |
| |
| _ |


| Grit | Weight per 100 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|-------------------|---------------------------|-------------------|--------------------|
| P60 | 7.20kg | -6374F | £31.58 | £23.68 |
| P80 | 6.35kg | -6374G | £30.73 | £23.05 |
| P120 | 5.20kg | -6374J | £28.22 | £21.16 |

Hole Pattern: 600A. 6 Hole.

Power Tools

Abrasives &





| Grit | Weight per 100 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|-------------------|------------------------------|-------------------|--------------------|
| P40 | 10.60kg | -6382D | £43.31 | £32.48 |
| P60 | 8.75kg | -6382F | £42.18 | £31.64 |
| P80 | 6.70kg | -6382G | £41.01 | £30.76 |
| P100 | 5.85kg | -6382H | £39.07 | £29.30 |
| P120 | 5.00kg | -6382J | £39.07 | £29.30 |

Weight per 100 Order Code MMM-201 List Price/100 Offer Price/100 3.90kg 3.20kg 2.70kg 2.40kg 2.40kg £41.01 £39.07 P80 -6384G £30.76 -6384J -6384L P120 £29.30 P180 P240 £27.51 £36.68 £27.51 £27.51 -6384N £36.68 £36.68 P320 -6384Q -6384K £36.68 £27.51 P320 2.40kg -6384R £36.68 £27.51


3M 255P - Paper-backed disc. **Hole Pattern:** 600A. 6 Hole.



| Grit | Weight per 100 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|-------------------|---------------------------|-------------------|--------------------|
| P120 | 3.20kg | -6385J | £39.07 | £29.30 |
| P240 | 2.70kg | -6385P | £36.68 | £27.51 |

210/212 Plain (no holes).





| Grit | Weight per 500 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|-------------------|---------------------------|-------------------|--------------------|
| P320 | 2.00kg | -6215F | £29.07 | £21.80 |
| P360 | 2.00kg | -6216G | £29.07 | £21.80 |
| P400 | 2.00kg | -6217H | £29.07 | £21.80 |
| | | | | |







Stikit™


3M 212 Aluminium oxide for general purpose sanding.



Plain (no holes) Sheet Size: 81 x 153mm.

| Grit | Weight per 500 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|-------------------|---------------------------|-------------------|--------------------|
| P80 | 6.10kg | -6032C | £24.29 | £18.22 |
| P100 | 6.00kg | -6033D | £23.98 | £17.98 |
| P120 | 5.00kg | -6034E | £23.98 | £17.98 |
| P150 | 4.10kg | -6043P | £23.98 | £17.98 |
| P180 | 4.00kg | -6044Q | £23.98 | £17.98 |
| P240 | 3.30kg | -6046S | £23.98 | £17.98 |
| P400 | 2.90kg | -6049W | £23.98 | £17.98 |

Plain (no holes) Sheet Size: 115 x 240mm.



Plain (no holes) Sheet Size: 70 x 445mm.

| Grit | Weight per 500 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|-------------------|---------------------------|-------------------|--------------------|
| P40 | 12.7kg | -6020A | £66.08 | £49.56 |
| P60 | 9.95kg | -6020M | £59.83 | £44.87 |
| P80 | 9.65kg | -6021B | £54.43 | £40.82 |
| P120 | 9.15kg | -6022C | £51.82 | £38.87 |



HERMES Aluminium Oxide Paper

Medium weight aluminium oxide paper for fast stock removal and final finishing of wood, metal and glass fibre.



Plain (no holes) Sheet Size: 70 x 445mm. Pack Quantity: 50

| Grit | Pack Quantity | Order Code HER-201 | List Price/100 | Offer Price/100 |
|------|------------------|------------------------------|-------------------|--------------------|
| P60 | 50 | -0215F | £22.26 | £15.14 |
| P120 | 100 | -0217H | £21.76 | £14.80 |
| P180 | 100 | -0219K | £21.76 | £14.80 |
| P240 | 100 | -0221M | £21.76 | £14.80 |
| D330 | 100 | -0333B | £21.76 | £1/L80 |

100 100 -0223P -0225R P400 £21.76 £14.80

YORK Adhesive ABRASIVES Backed Discs Adhesive backed aluminium oxide paper discs requiring no tools to change the disc, when the abrasive becomes worn or a different grit is needed, just peel off and apply a fresh disc, reducing machine downtime therefore increasing productivity.





| 0 | | |
|-----------|-----------|--|
| 0 | 0 | |
| | | |
| Offer | List | |
| Price/100 | Price/100 | |
| £27.12 | £38.75 | |
| £27.12 | £38.75 | |

Abrasives & Power Too


| Grit | Weight per 100 | Order Code YRK-202 | List Price/100 | Offer Price/100 |
|------|-------------------|-----------------------|-------------------|--------------------|
| P60 | 540g | -6360K | £38.75 | £27.12 |
| P80 | 490g | -6370K | £38.75 | £27.12 |
| P100 | 440g | -6380K | £36.98 | £25.89 |
| P120 | 420g | -6390K | £34.77 | £24.34 |
| P150 | 400g | -6400K | £34.77 | £24.34 |
| P180 | 350g | -6410K | £34.77 | £24.34 |
| P220 | 350g | -6420K | £34.77 | £24.34 |

KENNEDY Hook & Loop Backed QUALITY INDUSTRIAL TOOLING Sanding Discs

No spanners required to change discs. 100% of sanding disc can be used, material removal rate is therefore increased. Can be repeatedly removed and re-applied. Unaffected by dust or moisture. Aluminium oxide abrasive 'resin-bonded over resin' to Hook & Loop backed paper suitable for wood, plastics, ceramics etc.


Plain (no holes).





Plain (no holes).





Plain (no holes).




| Grit per 100 KEN-203 Price/100 Price | ice/100 |
|--------------------------------------|---------|
| P40 630g -2440K £54.51 £3 | 39.79 |
| P60 570g -2460K £53.02 £3 | 38.70 |
| P80 440g -2470K £51.57 £3 | 37.65 |
| P120 390g -2490K £49.18 £3 | 35.90 |

YORK Hook & Loop Backed ABRASIVES Sanding Discs

No spanners required to change discs. 100% of sanding disc can be used, material removal rate is increased. Can be repeatedly removed and re-applied. Unaffected by dust or moisture. Aluminium oxide abrasive 'resin-bonded over resin' to Hook & Loop backed paper suitable for wood, plastics, ceramics etc.

Plain (no holes).





Plain (no holes).





Plain (no holes).



Tools

| Grit | weight per 100 | Order Code YRK-203 | List Price/100 | Offer Price/100 |
|------|-------------------|-----------------------|-------------------|--------------------|
| P40 | 630g | -2440K | £54.51 | £39.79 |
| P60 | 570g | -2460K | £53.02 | £38.70 |
| P80 | 440g | -2470K | £51.57 | £37.65 |
| P120 | 390g | -2490K | £49.18 | £35.90 |
| | | | | |

Hole Pattern: 800A. 8 Hole.

To suit PEX1 PEX9.6, Kress 115 mm

| 115, | Grit | per 100 | KEN-203 | Price/100 | Price/100 |
|--------------------------|------|---------|---------|-----------|-----------|
| | P40 | 390g | -2140K | £38.09 | £27.81 |
| (\tilde{o}, \tilde{o}) | P60 | 330g | -2160K | | £26.16 |
| (000) | P80 | 260g | -2170K | | £24.73 |
| | P120 | 220g | -2190K | £33.28 | £24.29 |
| | | | | | |

Hole Pattern: 600A. 6 Hole.

To suit Flex, Kress, PEX15 **PEX9.6** 152 mm

| | <u></u> | Grit | per 100 | KEN-203 | Price/100 | Price/100 |
|---|---------|------|---------|---------|-----------|-----------|
| ر | 0/ | P40 | 690g | -2540K | £54.51 | £39.79 |
| | 0) | P60 | 540g | -2560K | £53.02 | £38.70 |
| 2 | 0/ | P80 | 470g | -2570K | £51.57 | £37.65 |
| | | P120 | 360g | -2590K | £49.18 | £35.90 |
| | | | | | | |

List

Offer



Hole Pattern: 800A. 8 Hole.

To suit PEX115. PEX9.6, Kress



| Grit per 100 YRK-203 Price/100 Price | ce/ TOO |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| P40 390g -2140K £38.09 £2 P60 330g -2160K £35.83 £2 P80 260g -2170K £33.87 £2 P120 220g -2190K £33.28 £2 | 26.16 24.73 |

Hole Pattern: 600A. 6 Hole.

To suit Flex Kress, PEX15 PEX9.6



| | | Grit | per 100 | YRK-203 | Price/100 | Price/100 |
|-----|----------|------|---------|---------|-----------|-----------|
| 0 |) C | P40 | 690g | -2540K | £54.51 | £39.79 |
| 0 | 0) | P60 | 540g | -2560K | £53.02 | £38.70 |
| | 5 / | P80 | 470g | -2570K | | £37.65 |
| (O) | / | P120 | 360g | -2590K | £49.18 | £35.90 |

KENNEDY Velcro Backed QUALITY INDUSTRIAL TOOLING Delta Sheets

Aluminium oxide abrasive 'resinbonded over resin' to Velcro backed paper suitable for wood, plastics and ceramics etc.

94mm x 94mm x 94mm. 6 Hole Delta Dust Extraction Type.

| Grit | Weight per 250 | Order Code KEN-203 | List Price/50 | Offer Price/50 |
|------|-------------------|-----------------------|------------------|-------------------|
| P40 | 300g | -6040K | £20.46 | £14.94 |
| P60 | 280g | -6060K | £18.75 | £13.69 |
| P80 | 230g | -6070K | £17.76 | £12.96 |
| P100 | 190g | -6080K | £17.30 | £12.63 |
| P400 | 160g | -6140K | f17 30 | £12 63 |





Delta Sheet Pack

"resin-bonded over resin" to Hook & Loop backed paper suitable for wood, plastics, ceramics etc.



Lict

| Contents (Qty x Grit) | Order Code KEN-203 | | Offer Price/Pk |
|----------------------------------------|-----------------------|-------|-------------------|
| 2 x P40, 3 x P60, 2 x P80, 3 x P100 | -6500K | £3.13 | £2.28 |

YORK Velcro Backed ABRASIVES Sanding Sheets

Aluminium oxide abrasive 'resin-bonded over resin' to Velcro backed paper suitable for wood, plastics and ceramics etc.

165mm x 75mm. 7 Hole **Dust Extraction** Type.





| 0 | 0 | 0 |
|---|---|---|
| |) | |
| 0 | 0 | 0 |

| | Grit | | Order Code YRK-200 | List Price/100 | Offer Price/100 |
|---|------|--------|--------------------|-------------------|-----------------|
| | P60 | 0.80kg | -1560K | £38.82 | £27.17 |
| | P80 | 0.80kg | -1570K | £38.82 | £27.17 |
| | P100 | 1.20kg | -1580K | £38.82 | £27.17 |
| | P120 | 1.20kg | -1590K | £38.82 | £27.17 |
| _ | P180 | 1.20kg | -1610K | £36.61 | £25.63 |

A fast cutting aluminium oxide mineral coated onto a heavy paper. Coarse stock removal on wood, metal and fillers.

Hole Pattern: 500A. 5 Hole.





| Grit | Weight per 500 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|-------------------|-----------------------|-------------------|--------------------|
| P60 | | -6174T | £45.19 | £33.89 |
| P80 | | -6174V | £43.95 | £32.96 |
| P120 | | -6174W | £39.13 | £29.35 |

Plain (no holes).





| Grit | Weight per 500 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|-------------------|-----------------------|-------------------|--------------------|
| P40 | | -6174D | £46.44 | £34.83 |
| P60 | | -6174F | £45.19 | £33.89 |
| P80 | | -6174G | £43.95 | £32.96 |
| P120 | | -6174J | £39.13 | £29.35 |
| | | | | |

Plain (no holes).





| Grit | Weight per 500 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|-------------------|---------------------------|-------------------|--------------------|
| P40 | 9.90kg | -6178D | £56.64 | £42.48 |
| P60 | 8.75kg | -6178F | £55.08 | £41.31 |
| P80 | 7.00kg | -6178G | £53.59 | £40.19 |
| P100 | | -6178H | £51.10 | £38.33 |
| P120 | | -6178J | £47.73 | £35.80 |

Hole Pattern: 600A. 6 Hole.





| Grit | Weight per 500 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|-------------------|--------------------|-------------------|--------------------|
| P40 | 10.60kg | -6190D | £56.64 | £42.48 |
| P60 | 8.75kg | -6190F | £55.08 | £41.31 |
| P80 | 6.70kg | -6190G | £53.59 | £40.19 |
| P100 | | -6190H | £51.10 | £38.33 |
| P120 | | -6190J | £47.73 | £35.80 |


Hole Pattern: 800A. 8 Hole.





| | | _ | | |
|------|---------|------------|-----------|-----------|
| Grit | Weight | Order Code | List | Offer |
| | per 500 | MMM-201 | Price/100 | Price/100 |
| P60 | 8.75kg | -6193F | £55.08 | £41.31 |
| P80 | 6.70kg | -6193G | £53.59 | £40.19 |

Finishing product coated onto a film backing for consistent finishing. Aluminium oxide with an anti-load coating.



| Grit | Size | Order Code MMM-201 | | Offer Price/100 |
|------|-------------|-----------------------|---------|--------------------|
| P60 | 115 x 225mm | -6004L | £103.65 | £77.74 |
| P80 | 115 x 225mm | -6004P | £101.79 | £76.34 |
| P60 | 70 x 127mm | -6009D | £0.24 | £0.18 |
| P120 | 70 x 127mm | -6009G | £23.27 | £17.45 |
| P120 | 70 x 127mm | -6009J | £23.27 | £17.45 |
| P180 | 70 x 127mm | -6009L | £21.87 | £16.40 |
| P240 | 70 x 127mm | -6009N | £21.87 | £16.40 |
| P320 | 70 x 127mm | -6009Q | £21.87 | £16.40 |
| P120 | 70 x 425mm | -6015J | £78.15 | £58.61 |
| P40 | 81 x 153mm | -6016D | £65.90 | £49.42 |
| P60 | 81 x 153mm | -6016F | £64.57 | £48.43 |

Hookit™ Discs

255

Finishing product coated onto a film backing for consistent finishing. Aluminium oxide with an anti-load coating.



Hole Pattern: 500A. 5 Hole.



| | | | | \smile |
|------|-------------------|---------------------------|-------------------|--------------------|
| Grit | Weight per 500 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
| P120 | | -6176D | £40.70 | £30.52 |
| P150 | | -6176E | £36.80 | £27.60 |
| P240 | | -6176G | £36.80 | £27.60 |
| P320 | | -6176H | £36.80 | £27 60 |

Micron graded aluminum oxide resin bonded to a 3mm polyester film backing. Open coat abrasive surface is coated with a dry lubricant to resist loading. With loop backing for attachment to hook faced backing pads. Easy to re-use.

Hole Pattern: 500A. 5 Hole.

15 micron 4.90kg

30 micron 4.40kg

60 micron 3.30kg



-6181A

-6181B

-6181D

£85.31

£85.31



£63.98

£63.98

| riilisiilig |
|----------------|
| product |
| coated onto a |
| 'C' weight |
| backing paper |
| for consistent |
| finishing. |
| Aluminium |
| oxide with an |
| anti-load |
| coating. |
| 3 |
| |

255P Finishing



Plain (no holes).





| Grit | Weight per 500 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|-------------------|---------------------------|-------------------|--------------------|
| P150 | | -6174Q | £36.80 | £27.60 |

Hole Pattern: 500A. 5 Hole.





| Grit | Weight per 500 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|-------------------|---------------------------|-------------------|--------------------|
| P180 | | -6175R | £36.80 | £27.60 |
| P240 | | -6175T | £36.80 | £27.60 |
| P400 | | -6175X | £36.80 | £27.60 |

Plain (no holes).





| Grit | Weight per 500 | Order Code MMM-201 | List .Price/100 | Offer Price/100 |
|------|-------------------|--------------------|--------------------|--------------------|
| P80 | 4.90kg | -6180G | £53.59 | £40.19 |
| P100 | 4.40kg | -6180H | £51.10 | £38.33 |
| P120 | 3.30kg | -6180J | £47.73 | £35.80 |
| P150 | 2.80kg | -6180K | £44.89 | £33.67 |
| P180 | 2.60kg | -6180L | £44.89 | £33.67 |
| P220 | | -6180M | £44.89 | £33.67 |
| P240 | 2.20kg | -6180N | £44.89 | £33.67 |
| P320 | 1.95kg | -6180Q | £44.89 | £33.67 |
| P360 | 1.90kg | -6180R | £44.89 | £33.67 |
| P400 | 2.10kg | -6 1 80S | £44.89 | £33.67 |
| P500 | 1.90kg | -6180T | £44.89 | £33.67 |

Hole Pattern: 600A. 6 Hole.





| Grit | Weight per 500 | Order Code MMM-201 | List Price/100 | Offer Price/100 |
|------|-------------------|-----------------------|-------------------|--------------------|
| P80 | 4.90kg | -6190M | £53.59 | £40.19 |
| P100 | 3.30kg | -6192G | £51.10 | £38.33 |
| P120 | 3.00kg | -6192J | £47.73 | £35.80 |
| P150 | 2.80kg | -6192K | £44.89 | £33.67 |
| P180 | 2.60kg | -6192L | £44.89 | £33.67 |
| P220 | | -6192M | £44.89 | £33.67 |
| P240 | 2.20kg | -6192N | £44.89 | £33.67 |
| P280 | Ū | -6192P | £44.89 | £33.67 |
| P320 | 1.95kg | -6192Q | £44.89 | £33.67 |
| P360 | • | -6192R | £44.89 | £33.67 |
| P400 | 2.10kg | -6 1 92S | £44.89 | £33.67 |
| P500 | | -6192T | £44.89 | £33.67 |

Hole Pattern: 800A. 8 Hole.





| | | _ | | |
|------|---------|------------|-----------|-----------|
| Grit | Weight | Order Code | List | Offer |
| | per 500 | MMM-201 | Price/100 | Price/100 |
| P120 | | -6194J | £47.73 | £35.80 |
| P150 | | -6194K | £44.89 | £33.67 |
| P240 | | -6194N | £44.89 | £33.67 |
| P320 | | -6194Q | £44.89 | £33.67 |
| P400 | | -6194S | £44.89 | £33.67 |

AI-Ox

Cubitror

Suitable for a wide range of power tools. Aluminium oxide designed for a wide range of materials including metal, steel, aluminium and non-ferrous metals.



| Grit | Weight per 10 | Order Code YRK-204 | List Price/100 | Offer Price/100 | | | | |
|-----------------------|---------------|-----------------------|-------------------|--------------------|--|--|--|--|
| 6mm Wide x 330mm Long | | | | | | | | |
| P36 | 500g | -4060K | £31.77 | £22.24 | | | | |
| P60 | 400g | -4120K | £29.88 | £20.92 | | | | |
| P80 | 325g | -4140K | £24.55 | £17.18 | | | | |
| P100 | 200g | -4160K | £23.62 | £16.53 | | | | |
| P120 | 200g | -4180K | £23.62 | £16.53 | | | | |
| P150 | 200g | -4200K | £23.62 | £16.53 | | | | |
| P240 | 200g | -4240K | £22.93 | £16.05 | | | | |
| | 12 | mm Wide x 420n | nm Long | | | | | |
| P60 | 900g | -4280K | £39.44 | £27.61 | | | | |
| P120 | 700g | -4300K | £39.44 | £27.61 | | | | |
| P240 | 600g | -4340K | £39.44 | £27.61 | | | | |
| | 13 | mm Wide x 610n | nm Long | | | | | |
| P36 | 1300g | -4360K | £60.83 | £42.58 | | | | |
| P60 | 1150g | -4420K | £58.83 | £41.18 | | | | |
| P80 | 1050g | -4440K | £58.41 | £40.89 | | | | |
| P100 | 900g | -4460K | £58.01 | £40.61 | | | | |
| P120 | 900g | -4480K | £58.01 | £40.61 | | | | |
| P150 | 900g | -4500K | £58.01 | £40.61 | | | | |
| | 20 | mm Wide x 480n | nm Long | | | | | |
| P60 | 780g | -4680K | £69.15 | £48.41 | | | | |
| | 20 | mm Wide x 520n | nm Long | | | | | |
| P36 | 900g | -4860K | £67.87 | £47.51 | | | | |
| P60 | 700g | -4920K | £64.52 | £45.16 | | | | |
| P80 | 675g | -4940K | £63.89 | £44.72 | | | | |
| P100 | 650g | -4960K | £63.45 | £44.41 | | | | |
| P120 | 650g | -4980K | £63.45 | £44.41 | | | | |
| P150 | 650g | -5000K | £63.45 | £44.41 | | | | |
| P240 | 650g | -5040K | £63.45 | £44.41 | | | | |

| Packs of 10 | | | | |
|-------------|------------------|-----------------------|------------------|-------------------|
| Grit | Weight per 10 | Order Code YRK-204 | List Price/Pk | Offer Price/Pk |
| | 6n | ım Wide x 457m | m Long | |
| P150 | 10g | -3200K | £1.68 | £1.18 |
| | 101 | nm Wide x 457n | nm Long | |
| P120 | 20g | -3280K | £1.68 | £1.18 |
| P150 | 20g | -3300K | £1.68 | £1.18 |
| | 131 | nm Wide x 457n | nm Long | |
| P80 | 60g | -3340K | £1.68 | £1.18 |
| P120 | 40g | -3380K | £1.68 | £1.18 |
| | 2 0ı | nm Wide x 457n | nm Long | |
| P60 | 100g | -3420K | £1.68 | £1.18 |
| P80 | 100g | -3440K | £1.68 | £1.18 |

For grinding stainless, nickel alloy and titanium. 3M material bonded to a tough cloth backing. Incorporate a grinding aid to ensure long life and high cut rates on all metals. Can be used to blend scratches left by coated abrasive belts.



| | 7.00 | | | | | | | |
|------------|-----------------------|------------------------|-------------------|------------------|--|--|--|--|
| | Weight | Order Code | List | Offer | | | | |
| Grade | per 10 | MMM-201 | Price/10 | Price/10 | | | | |
| | 6mm Wide x 610mm Long | | | | | | | |
| P60 | 800g | -7826F | £7.66 | £5.75 | | | | |
| P80 | 650g | -7826G | £7.44 | £5.58 | | | | |
| P100 | | -7826H | £5.93 | £4.45 | | | | |
| D.40 | 10m | ım Wide x 330 | | | | | | |
| P40 | 1000g | -7827D | £6.60 | £4.95 | | | | |
| P50 P60 | 1000g 600g | -7827E -7827F | £6.50 £6.44 | £4.88 £4.83 | | | | |
| P80 | 500g | -7827F -7827G | £6.36 | £4.83 £4.77 | | | | |
| P120 | 500g 500g | -7719M | £4.96 | £3.72 | | | | |
| . 120 | | ım Wide x 305 | | 20.12 | | | | |
| P40 | | -7827V | £6.60 | £4.95 | | | | |
| P60 | | -7827X | £6.50 | £4.88 | | | | |
| P80 | | -7827Y | £6.36 | £4.77 | | | | |
| P120 | | -7827Z | £5.10 | £3.83 | | | | |
| | 13m | ım Wide x 457 | mm Long | | | | | |
| P36 | | -7828C | £9.38 | £7.04 | | | | |
| P40 | | -7828D | £9.20 | £6.90 | | | | |
| P60 | 500g | -7828F | £8.95 | £6.71 | | | | |
| P80 | 000 4 | -7828G | £8.73 | £6.55 | | | | |
| P120 | 800g | -7722K | £7.00 | £5.25 | | | | |
| P50 | 13m | m Wide x 610 | mm Long | CO 42 | | | | |
| P60 | 900g | -7829E -7829F | £12.18 £11.97 | £9.13 £8.98 | | | | |
| P80 | 500g 500g | -7829G | £11.75 | £8.81 | | | | |
| P100 | 0006 | -7829H | £9.20 | £6.90 | | | | |
| | 20m | ım Wide x 480 | | | | | | |
| P40 | | -7833D | £16.30 | £12.22 | | | | |
| P50 | | -7833E | £15.84 | £11.88 | | | | |
| P60 | 500g | -7833F | £15.74 | £11.80 | | | | |
| | 20m | ım Wide x 520 | mm Long | | | | | |
| P40 | | -7834D | £17.60 | £13.20 | | | | |
| P60 | 500g | -7834F | £16.93 | £12.70 | | | | |
| P80 | | -7834G | £16.71 | £12.53 | | | | |
| P100 | 800g | -7834H | £13.26 | £9.95 | | | | |
| P120 | | -7834J | £13.26 | £9.95 | | | | |
| P80 | 25m | m Wide x 760 -7838G | mm Long £28.14 | £21.11 | | | | |
| Pau | 100- | -7838G nm Wide x 28 | | £21.11 | | | | |
| P60 | 1001 | nm wide x 28 -7871F | £31.48 | £23.61 | | | | |
| P80 | | -7871F -7871G | £31.48 £30.29 | £23.61 £22.72 | | | | |
| P120 | | -7871J | £29.42 | £22.07 | | | | |
| 1 120 | | | 220.72 | <i>2</i> v. | | | | |

YORK Sanding ABRASIVES Sticks & Belts

The ideal tool for those awkward finishing jobs, the spring loaded

holders combine with standard sanding belts to become a simple but effective lapping tool.

Belts are suitable for use on wood and metal

Sanding Sticks

| To Suit Belt Size | Order Code YRK-204 | List Price/1 | Offer Price/1 |
|----------------------|-----------------------|-----------------|------------------|
| 6mm x 330 | -9060K | £4.51 | £3.16 |
| 12mm x 420 | -9120K | £5.52 | £3.86 |
| 20mm x 520 | -9190K | £6.60 | £4.62 |



Set Contents:

- 1 6mm sanding stick,
- 1 12mm sanding stick,
- 1 19mm sanding stick,
- 2 6mm x 330mm P120 sanding belts, 2 12mm x 420mm P120 sanding belts,
- 2 19mm x 520mm P120 sanding belts.

| Number of Pieces | Order Code | List | Offer |
|------------------|------------|---------|---------|
| | YRK-204 | Price/1 | Price/1 |
| 9 | -9500K | £22.49 | £15.74 |

9 **PIECES**


KENNEDY Portable QUALITY INDUSTRIAL TOOLING Sander Belts

Resin bond aluminium oxide sanding belts are designed for industrial applications. Durability combined with flexibility ensures a long life and first class performance. Suitable for wood and metal work.



100mm (4") Wide x 610mm (24") Long.

| Grit | Weight per 10 | Order Code KEN-204 | | Offer Price/10 | Grit | Weight per 10 | Order Code List Offer KEN-204 Price/10 Price/10 |
|------|------------------|-----------------------|--------|-------------------|------|------------------|-------------------------------------------------|
| P24 | 1,100g | -0540K | £22.12 | £15.48 | P100 | 550g | -0660K £16.17 £11.32 |
| P36 | 870g | -0560K | £20.05 | £14.04 | P120 | 580g | -0680K £16.17 £11.32 |
| P40 | 880g | -0580K | £19.29 | £13.50 | P150 | 490g | -0700K £16.17 £11.32 |
| P50 | 790g | -0600K | £18.36 | £12.85 | P180 | 520g | -0720K £16.17 £11.32 |
| P60 | 750g | -0620K | £17.35 | £12.14 | P240 | 500g | -0760K £16.17 £11.32 |
| P80 | 700g | -0640K | £16.60 | £11.62 | P320 | 480g | -0780K £16.17 £11.32 |
| | | | | | | | |



YORK Linisher ABRASIVES Belts

York sanding belts to suit a wide range of power tools. Aluminium oxide designed for a wide range of materials including metal, steel, aluminium and non-ferrous metals.



ΔI-Ox

combined with flexibility ensures a long life and first class performance. Suitable for wood and metal work.

Resin bond aluminium oxide

sanding belts are designed for

industrial applications. Durability




<u>Linisher</u>



| Grit | Weight per 10 | Order Code YRK-204 | | Offer Price/100 |
|--------------|------------------|---------------------------|----------|--------------------|
| 50m | m (2") V | Vide x 1 06 | 55mm (42 | ") Long |
| P36 | 1.00kg | -6860K | £208.77 | £146.14 |
| P40 | 0.85kg | -6880K | £200.50 | £140.35 |
| P60 | 0.65kg | -6920K | £192.53 | £134.77 |
| P80 | 0.55kg | -6940K | £182.66 | £127.86 |
| P120 | 0.50kg | -6980K | £173.33 | £121.33 |
| P180 | 0.40kg | -7020K | £173.33 | £121.33 |
| P220 | 0.40kg | -7040K | £173.33 | £121.33 |
| P320 | 0.40kg | -7080K | £173.33 | £121.33 |
| 150 n | nm (6") \ | Nide x 10 | 90mm (43 | 3") Long |
| P36 | 3.50kg | -7560K | £600.18 | £420.13 |
| P40 | 3.15kg | -7580K | £562.59 | £393.81 |
| P60 | 2.20kg | -7600K | £555.55 | £388.88 |
| P80 | 2.10kg | -7620K | £531.90 | £372.33 |
| P100 | 2.00kg | -7640K | £531.90 | £372.33 |
| P120 | 2.00kg | -7660K | £511.06 | £357.74 |
| P150 | 1.80kg | | £511.06 | £357.74 |
| P180 | 1.60kg | -7700K | £511.06 | £357.74 |
| P220 | 1.60kg | -7720K | £511.06 | £357.74 |
| P320 | 1.60kg | -7740K | £511.06 | £357.74 |

| Grit | Weight | Order Code | List | Offer |
|--------------|------------------|---------------------|------------------|------------------|
| diit | per 10 | KEN-204 | Price/10 | Price/10 |
| 100 | | Wide x 91 5 | | |
| P24 | 2.15kg | -1040K | £74.70 | £52.29 |
| P36 | 1.80kg | -1060K | £67.16 | £47.01 |
| P40 | 1.55kg | -1080K | £63.82 | £44.67 |
| P50 | 1.40kg | -1100K | £60.26 | £42.18 |
| P60 | 1.30kg | -1120K | £57.35 | £40.15 |
| P80 | 1.20kg | -1140K | £53.90 | £37.73 |
| P100 | 1.00kg | -1160K | £52.06 | £36.44 |
| P120 | 0.95kg | -1180K | £52.06 | £36.44 |
| P150 | 0.90kg | -1200K | £52.06 | £36.44 |
| P180 | 0.90kg | -1220K | £52.06 | £36.44 |
| P220 | 0.85kg | -1240K | £52.06 | £36.44 |
| P240 | 0.85kg | -1260K | £52.06 | £36.44 |
| P320 | 0.80kg | -1280K | £57.88 | £40.52 |
| | ` ' | /ide x 152 0 | | |
| P24 | 1.60kg | -2040K | £63.82 | £44.67 |
| P36 | 1.60kg | -2060K | £57.35 | £40.15 |
| P40 | 1.35kg | -2080K | £54.55 | £38.19 |
| P50 | 1.30kg | -2100K | £52.18 | £36.53 |
| P60 | 1.15kg | -2120K | £49.26 | £34.48 |
| P80 | 1.00kg | -2140K | £46.46 | £32.52 |
| P100 | 0.97kg | -2160K | £45.49 | £31.84 |
| P120 | 0.82kg | -2180K | £45.28 | £31.70 |
| P150 | 0.77kg | -2200K | £45.28 | £31.70 |
| P180 | 0.72kg | -2220K | £45.28 | £31.70 |
| P220 | 0.64kg | -2240K | £45.28 | £31.70 |
| | | /ide x 1065 | | |
| P24 | 0.55kg | -1540K | £31.15 | £21.80 |
| P36 | 0.54kg | -1560K | £29.22 | £20.45 |
| P40 | 0.46kg | -1580K | £27.92 | £19.54 |
| P50 | 0.43kg | -1600K | £27.17 | £19.02 |
| P60 | 0.39kg | -1620K | £26.41 | £18.49 |
| P80 | 0.34kg | -1640K | £25.11 | £17.58 |
| P100 | 0.32kg | -1660K | £24.79 | £17.35 |
| P120 | 0.23kg | -1680K | £24.79 | £17.35 |
| P150 | 0.24kg | -1700K | £24.79 | £17.35 |
| P180 P220 | 0.26kg | -1720K -1740K | £24.79 £24.79 | £17.35 £17.35 |
| P220 P320 | 0.25kg 0.21kg | -1740K -1780K | £24.79 £24.79 | £17.35 £17.35 |
| P320 | U.∠⊥Kg | -T190K | L24.19 | £11.35 |





YORK Sanding Bands

Spiral wound with tear resistant backing fabric. For grinding and finishing edges, profiles, welded joints etc. For use with power tools. Aluminium Oxide for use on most metals.



* P60 = Coarse, P80 = Medium, P150 = Fine.

| Diameter x | Grit* | Weight | Order Code | List | Offer |
|------------|--------------------|--------|----------------------------|----------------------------|----------------------------|
| Width (mm) | | per 50 | YRK-205 | Price/50 | Price/50 |
| 10 x 10 | P60 P80 P150 | 30g | -0520K -0550K -0580K | £14.00 £14.00 £14.00 | £10.22 £10.22 £10.22 |
| 10 x 20 | P60 | 50g | -0720K | £20.50 | £14.96 |
| | P80 | 50g | -0750K | £20.50 | £14.96 |
| | P150 | 40g | -0780K | £20.50 | £14.96 |
| 13 x 10 | P60 | 50g | -0920K | £14.00 | £10.22 |
| | P80 | 30g | -0950K | £14.00 | £10.22 |
| | P150 | 30g | -0980K | £14.00 | £10.22 |
| 13 x 25 | P60 | 90g | -1120K | £20.50 | £14.96 |
| | P80 | 80g | -1150K | £20.50 | £14.96 |
| | P150 | 60g | -1180K | £20.50 | £14.96 |
| 15 x 10 | P60 | 40g | -1320K | £14.00 | £10.22 |
| | P80 | 40g | -1350K | £14.00 | £10.22 |
| | P150 | 30g | -1380K | £14.00 | £10.22 |
| 15 x 30 | P60 | 120g | -1520K | £20.50 | £14.96 |
| | P80 | 100g | -1550K | £20.50 | £14.96 |
| | P150 | 80g | -1580K | £20.50 | £14.96 |
| 19 x 25 | P60 | 140g | -1720K | £20.50 | £14.96 |
| | P80 | 110g | -1750K | £20.50 | £14.96 |
| | P150 | 80g | -1780K | £20.50 | £14.96 |
| 22 x 20 | P60 | 120g | -1920K | £14.00 | £10.22 |
| | P80 | 110g | -1950K | £14.00 | £10.22 |
| | P150 | 80g | -1980K | £14.00 | £10.22 |
| 25 x 25 | P60 | 160g | -2120K | £20.50 | £14.96 |
| | P80 | 150g | -2150K | £20.50 | £14.96 |
| | P150 | 130g | -2180K | £20.50 | £14.96 |
| 30 x 20 | P60 | 160g | -2320K | £18.00 | £13.14 |
| | P80 | 130g | -2350K | £18.00 | £13.14 |
| | P150 | 120g | -2380K | £18.00 | £13.14 |
| 30 x 30 | P60 | 240g | -2520K | £24.50 | £17.89 |
| | P80 | 200g | -2550K | £24.50 | £17.89 |
| | P150 | 180g | -2580K | £24.50 | £17.89 |
| 38 x 25 | P60 | 270g | -2720K | £32.00 | £23.36 |
| | P80 | 220g | -2750K | £32.00 | £23.36 |
| 45 x 30 | P150 | 210g | -2780K | £32.00 | £23.36 |
| | P60 | 380g | -2920K | £32.00 | £23.36 |
| | P80 | 310g | -2950K | £32.00 | £23.36 |
| 51 x 25 | P150 | 290g | -2980K | £32.00 | £23.36 |
| | P60 | 330g | -3120K | £32.50 | £23.73 |
| | P80 | 300g | -3150K | £32.50 | £23.73 |
| 60 x 30 | P150 | 320g | -3180K | £32.50 | £23.73 |
| | P60 | 430g | -3320K | £39.00 | £28.47 |
| | P80 | 400g | -3350K | £39.00 | £28.47 |
| 75 x 30 | P150 | 360g | -3380K | £39.00 | £28.47 |
| | P60 | 670g | -3520K | £45.50 | £33.22 |
| | P80 | 490g | -3550K | £45.50 | £33.22 |
| 100 x 40 | P150 | 550g | -3580K | £45.50 | £33.22 |
| | P60 | 1100g | -3720K | £64.50 | £47.09 |
| | P80 | 400g | -3750K | £64.50 | £47.09 |
| | P150 | 700g | -3780K | £64.50 | £47.09 |

Sanding Band Kits

Spiral wound with tear resistant backing fabric. For grinding and finishing edges, profiles, welded joints etc. For use with power tools. Aluminium oxide for use on most metals.



| Number of Size Pieces (mm) | | Contents | Order Code YRK-205 | List Price/1 | Offer Price/1 |
|-------------------------------|---------|---------------------------------------------------------|-----------------------|-----------------|------------------|
| 21 | 22 x 20 | 4 x P60 10 x P80 6 x P150 1 x 6mm Shank Holder | -9300K | £23.74 | £15.67 |
| 20 | 25 x 25 | 10 x P60 6 x P80 4 x P150 1 x 6mm Shank Holder | -9320K | £17.29 | £11.41 |
| 20 | 51 x 25 | 10 x P60 6 x P80 4 x P150 1 x 6mm Shank Holder | -9340K | £26.96 | £17.79 |

Drum Holders

Suitable for use with chucks/collets on all portable power and air tools. For use with spiral bound abrasive sanding bands. Self expanding when in use for a secure grip on the band. All shanks are 6mm except where marked * which have a 8mm shank.



| Diameter x Width (mm) | Weight per 5 | Order Code YRK-205 | List Price/1 | Offer Price/1 |
|--------------------------|-----------------|-----------------------|-----------------|------------------|
| 10 x 10 | 50g | -4100K | £5.87 | £4.29 |
| 10 x 20 | 70g | -4130K | £8.66 | £6.32 |
| 13 x 10 | 60g | -4160K | £5.87 | £4.29 |
| 13 x 25 | 80g | -4190K | £8.66 | £6.32 |
| 15 x 10 | 70g | -4220K | £5.87 | £4.29 |
| 15 x 30 | 100g | -4250K | £8.66 | £6.32 |
| 19 x 25 | 110g | -4280K | £9.15 | £6.68 |
| 22 x 20 | 120g | -4310K | £7.31 | £5.34 |
| 25 x 25 | 140g | -4340K | £9.50 | £6.93 |
| 30 x 20 | 150g | -4370K | £7.93 | £5.79 |
| 30 x 30 | 200g | -4400K | £8.66 | £6.32 |
| 38 x 25 | 240g | -4430K | £10.03 | £7.32 |
| 45 x 30 | 380g | -4460K | £9.82 | £7.17 |
| 51 x 25 | 360g | -4490K | £11.81 | £8.62 |
| 60 x 30 | 460g | -4520K | £12.98 | £9.48 |
| 75 x 30* | 1100g | -4550K | £14.20 | £10.37 |
| 100 x 40* | 2100g | -4580K | £18.51 | £13.51 |

Fitting/Removal Of Bands

Spindle Rotation During Use (Holder expands).



Band Rotation (Holder stationary)



Max Operating Speeds (Peripheral=25M/sec)

| Band Dia. (mm) | Max (rpm) | Band Dia. (mm) | Max (rpm) |
|-------------------|--------------|-------------------|--------------|
| 10 | 47,500 | 30 | 15,800 |
| 13 | 36,500 | 38 | 12,500 |
| 15 | 31,500 | 45 | 10,500 |
| | , | 51 | 9,300 |
| 19 | 25,000 | 60 | 7,900 |
| 22 | 21,500 | 75 | 6,300 |
| 25 | 19,000 | 100 | 4,700 |

Abrasives & Power Tools


YORK Cartridge ABRASIVES Rolls

Spirally wound aluminium oxide cloth rolls that wear in use constantly exposing new abrasive. Used for weld flash removal, deburring, blending and polishing applications. Available in two types. A steel mandrel must be used top secure the abrasive to the tool. **For Die Grinders**

Straight Type

Maximum Running Speeds:

Up to 12mm dia. 22,000rpm. Up to 19mm dia. 18,000rpm. Up to 25mm dia. 10,000rpm.



| Diameter x Length (mm) | Туре | Grit | Weight per 100 | Order Code YRK-205 | List Price/1 | Offer Price/1 |
|---------------------------|------|--------------------|-------------------|----------------------------|-------------------------|-------------------------|
| 3 x 19 | CR1 | P80 P120 | 100g | -7010K -7020K | £0.30 £0.30 | £0.22 £0.22 |
| 6 x 19 | CR3 | P80 P120 | 150g | -7050K -7060K | £0.30 £0.30 | £0.22 £0.22 |
| 6 x 25 | CR4 | P80 P120 | 200g | -7070K -7080K | £0.30 £0.30 | £0.22 £0.22 |
| 6 x 38 | CR4 | P80 P120 | 200g | -7250K -7260K | £0.38 £0.38 | £0.28 £0.28 |
| 9.5 x 25 | CR5 | P80 P120 | 265g | -7090K -7100K | £0.32 £0.32 | £0.23 £0.23 |
| 9.5 x 38 | CR6 | P80 P120 | 400g | -7110K -7120K | £0.38 £0.38 | £0.28 £0.28 |
| 12 x 25 | CR7 | P60 P120 | 450g | -7130K -7140K | £0.38 £0.38 | £0.28 £0.28 |
| 12 x 38 | CR8 | P60 P80 P120 | 670g | -7150K -7155K -7160K | £0.45 £0.45 £0.45 | £0.33 £0.33 £0.33 |
| 19 x 38 | CR10 | P60 P120 | 1500g | -7190K -7200K | £0.75 £0.75 | £0.55 £0.55 |
| 25 x 38 | CR11 | P60 P120 | 2500g | -7210K -7220K | £1.42 £1.42 | £1.04 £1.04 |

Cartridge Roll Kit

Spirally wound aluminium oxide cloth roll that wears in use, constantly exposing new abrasive. Used for weld flash removal, deburring, blending and polishing applications.

Contents: straight type rolls 6 - 10 x 38mm P80 and P120. 4 - 13 x 38mm P80 and P120. 12 - 6 x 38mm P80 and P120. 16 - 6 x 25mm P80 and P125. 6 - 10 x 25mm P80 and P120. Taper type rolls: 6 - 10 x 38mm P80. 6 - 13 x 38mm P80.

Mandrels:

1 - 3 x 25 x 6mm.


1 - 3 x 19 x 6mm.



Description YRK-205 Price/1 Price/1 122 Piece Cartridge Roll Kit -9800K £33.92 £22.39

Taper Type

Tapered for angles, corners and irregular or concave surfaces.



| Diameter x Length (mm) | Туре | Grit | Weight per 100 | Order Code YRK-205 | List Price/1 | Offer Price/1 |
|---------------------------|------|-------------|-------------------|-----------------------|-----------------|------------------|
| 9.5 x 25 | CRT1 | P60 P120 | 235g | -7310K -7320K | £0.67 £0.67 | £0.49 £0.49 |
| 9.5 x 38 | | P80 | | -7315K | £0.67 | £0.49 |
| 12 x 25 | CRT2 | P60 P120 | 270g | -7330K -7340K | £0.67 £0.67 | £0.49 £0.49 |
| 12 x 38 | CRT3 | P60 P120 | 460g | -7350K -7360K | £0.72 £0.72 | £0.53 £0.53 |
| 12 x 38 | | P80 | | -7355K | £0.72 | £0.53 |
| 19 x 25 | CRT4 | P60 P120 | 760g | -7370K -7380K | £0.92 £0.92 | £0.67 £0.67 |
| 19 x 38 | CRT5 | P60 P120 | 1000g | -7390K -7400K | £0.92 £0.92 | £0.67 £0.67 |
| 25 x 38 | CRT6 | P120 | 1600g | -7420K | £1.30 | £0.95 |

Mandrels

For use with Cartridge Rolls. This steel adaptor is used to secure and hold both tapered and parallel sided cartridge rolls to air grinders or electric drills. This holder is used by sliding the cartridge roll onto the mandrel pilot until the bottom of the abrasive touches the threaded steel area. Simply screw the cartridge roll onto the threads to secure. Your mandrel should be at least 13mm longer than your cartridge roll.




| Shank Diameter | Туре | To suit Rolls | Weight per 5 | Order Code YRK-205 | List Price/1 | Offer Price/1 |
|-------------------|----------------------|-------------------------------------------|-------------------|----------------------------|-------------------------|-------------------------|
| 3mm 3mm 6mm | CRM1 CRM2 CRM3 | CR1 CR2 CR3 | 35g 35g 55g | -7510K -7520K -7530K | £3.08 £3.08 £3.55 | £2.25 £2.25 £2.59 |
| 6mm | CRM4 | CR4 CR5 CR7 CRT1 CRT2 CRT4 | 55g | -7540K | £3.55 | £2.59 |
| 6mm | CRM5 | CR6 CR8 CRT3 CRT5 CRT6 | 55g | -7550K | £3.55 | £2.59 |
| 6mm | CRM6 | CR9 | 75g | -7560K | £3.55 | £2.59 |
| 6mm | CRM7 | CR10 CR11 | 80g | -7570K | £3.55 | £2.59 |

PIFCES

Roloc™ Disc Products

Designed for use on portable tools and featuring the convenient Roloc™ Twist-on, Twist-off fixing system.



Roloc™ Surface Conditioning Discs

Reinforced Scotch-Brite™ web designed for cleaning and finishing on all metals. Leaves a burr-free surface for painting and coating for removal of light rust, oxides and coatings.

Maximum rpm. 25mm Discs = 25000rpm. 50mm Discs = 23000rpm.

75mm Discs = 23000rpm.



| Nominal Dia. | Density Grade | Holder No. | Max. rpm | Weight per 200 | Order Code MMM-245 | List Price/100 | Offer Price/100 |
|-----------------|------------------|---------------|-------------|-------------------|-----------------------|-------------------|--------------------|
| | Very Fine | 1 | 25000 | 0.55kg | -9391A | £44.36 | £35.49 |
| 25mm | Medium | 1 | 25000 | 0.55kg | -9392B | £44.36 | £35.49 |
| | Coarse | 1 | 25000 | 0.55kg | -9393C | £44.36 | £35.49 |
| | Very Fine | 3 | 23000 | 1.40kg | -7523D | £82.10 | £65.68 |
| 50mm | Medium | 3 | 23000 | 1.50kg | -7527G | £82.10 | £65.68 |
| | Coarse | 3 | 23000 | 1.60kg | -7528K | £82.10 | £65.68 |
| | Very Fine | 4 | 18000 | 2.80kg | -7530N | £146.19 | £116.95 |
| 75mm | Medium | 4 | 18000 | 2.80kg | -7531R | £146.19 | £116.95 |
| | Coarse | 4 | 18000 | 3.20kg | -7532V | £146.19 | £116.95 |

Cloth Roloc™ Discs

777F

Abrasives & Power Tools

High performance disc with ceramic Cubitron abrasive mineral for use on stainless steels.

Maximum rpm. 25mm discs = 25,000rpm. 38, 50 & 75mm discs = 20,000rpm.



| See Grou 96 | ip 🔼 | 6 | |
|--------------------------|---------|-----|-------|
| | Density | | Max. |
| Dia. | Grade | No. | rpm |
| | 36 | 1 | 25000 |
| 0.5 | 50 | 1 | 25000 |
| 25mm | 60 | 1 | 25000 |
| | 80 | 1 | 25000 |
| | 36 | 2 | 20000 |
| 20mm | 60 | 2 | 20000 |

For Safety Goggles

| Nominal | Density | Holder | Max. | Weight | Order Code | List | Offer |
|---------|---------|--------|-------|---------|------------|-----------|-----------|
| Dia. | Grade | No. | rpm | per 200 | MMM-245 | Price/100 | Price/100 |
| | 36 | 1 | 25000 | 0.48kg | -9622A | £39.85 | £31.88 |
| 0.5 | 50 | 1 | 25000 | 0.44kg | -9623B | £39.85 | £31.88 |
| 25mm | 60 | 1 | 25000 | 0.44kg | -9624C | £39.85 | £31.88 |
| | 80 | 1 | 25000 | 0.44kg | -9625D | £39.85 | £31.88 |
| | 36 | 2 | 20000 | 0.80kg | -9626E | £51.29 | £41.03 |
| 38mm | 60 | 2 | 20000 | 0.60kg | -9628G | £51.29 | £41.03 |
| | 80 | 2 | 20000 | 0.14kg | -9160N | £51.32 | £41.06 |
| | 36 | 3 | 20000 | 1.10kg | -9629H | £70.78 | £56.62 |
| | 50 | 3 | 20000 | 1.10kg | -9630J | £70.78 | £56.62 |
| 50mm | 60 | 3 | 20000 | 1.10kg | -9433A | £70.78 | £56.62 |
| | 80 | 3 | 20000 | 1.00kg | -9161B | £70.78 | £56.62 |
| | 120 | 3 | 20000 | | -9630X | £70.78 | £56.62 |
| | 36 | 4 | 20000 | 2.10kg | -9631K | £88.50 | £70.80 |
| 75mm | 50 | 4 | 20000 | 2.10kg | -9632L | £88.50 | £70.80 |
| | 60 | 4 | 20000 | 1.90kg | -9633M | £88.50 | £70.80 |
| | 80 | 4 | 20000 | 1.70kg | -9634N | £88.50 | £70.80 |
| | 120 | 4 | 20000 | • | -9635P | £88.50 | £70.80 |

Cloth Roloc™ Discs

361F

Tough resin bonded aluminium oxide disc for grinding and stock removal. Applications such as weld grinding and finishing.

Maximum rpm. 25mm Discs = 25000 rpm.

38,50 & 75mm Discs = 20000 rpm.



| Nominal Diameter | Density Grade | Holder No. | Max. | Weight per 200 | Order Code MMM-245 | List Price/100 | Offer Price/100 |
|---------------------|------------------|---------------|-------|-------------------|-----------------------|-------------------|------------------------|
| | 36 | 1 | 25000 | 0.48kg | -7917H | £28.45 | £22.76 |
| | 50 | 1 | 25000 | 0.44kg | -7917H | £28.45 | £22.76 |
| 25mm | 60 | 1 | 25000 | 0.44kg | -7923P | £28.45 | £22.76 |
| 20111111 | 80 | 1 | 25000 | 0.44kg | -7921M | £28.45 | £22.76 |
| | 120 | 1 | 25000 | 0.36kg | -7919K | £28.45 | £22.76 |
| | 36 | 2 | 20000 | 0.68kg | -7946L | £36.77 | £29.42 |
| 00 | 60 | 2 | 20000 | 0.58kg | -7947N | £36.77 | £29.42 |
| 38mm | 80 | 2 | 20000 | 0.56kg | -7957R | £36.77 | £29.42 |
| | 120 | 3 | 20000 | 0.56kg | -7959W | £36.77 | £29.42 |
| | 24 | 3 | 20000 | 1.30kg | -7911B | £50.56 | £40.45 |
| | 36 | 3 | 20000 | 1.20kg | -7948R | £50.56 | £40.45 |
| | 50 | 3 | 20000 | 1.00kg | -7949T | £50.56 | £40.45 |
| | 60 | 3 | 20000 | 0.90kg | -7950B | £50.56 | £40.45 |
| 50mm | 80 | 3 | 20000 | 0.90kg | -7951D | £50.56 | £40.45 |
| | 100 | 3 | 20000 | 0.90kg | -7952F | £50.56 | £40.45 |
| | 120 | 3 | 20000 | 0.80kg | -7953H | £50.56 | £40.45 |
| | 180 | 3 | 20000 | 0.80kg | -7933A | £50.56 | £40.45 |
| | 240 | 3 | 20000 | 0.80kg | -7927T | £50.56 | £40.45 |
| | 36 | 4 | 20000 | 2.30kg | -7943E | £63.23 | £50.58 |
| | 50 | 4 | 20000 | 1.90kg | -7944G | £63.23 | £50.58 |
| | 60 | 4 | 20000 | 1.80kg | -7945J | £63.23 | £50.58 |
| 75mm | 80 | 4 | 20000 | 1.60kg | -7954K | £63.23 | £50.58 |
| | 100 | 4 | 20000 | 1.50kg | -7955M | £63.23 | £50.58 |
| | 120 | 4 | 20000 | 1.40kg | -7956P | £63.23 | £50.58 |
| | 240 | 4 | 20000 | 1.40kg | -7925R | £63.23 | £50.58 |

Roloc™ Disc Holders

All holders on 6mm shank.



| Disc | Holder | Weight | Order Code | List | Offer Price/1 |
|------|--------|--------|------------|---------|---------------|
| Size | No. | per 5 | MMM-280 | Price/1 | |
| 25mm | 1 2 | 120gm | -4350E | £2.78 | £2.64 |
| 38mm | | 180gm | -4460R | £2.78 | £2.64 |
| 50mm | 3 | 170gm | -4470S | £2.78 | £2.64 |
| 75mm | 4 | 220gm | -4480T | £2.78 | £2.64 |

YORK Surface Brasives Preparation

Quick Change Screw Fitting Discs

For general use including blending welds and removing machining marks. Also suitable for use on mild contours as well as flat surfaces. Quick change screw fitting ensures that the disc is always perfectly centred without adhesive, moving parts or centre screw damage to the workpiece. Higher speeds can be attained resulting in faster stock removal reduced man-hours and increased productivity. Available in two abrasive types, aluminium oxide for general-purpose use and zirconia alumina for grinding and finishing of stainless steel. Available in 25mm, 38mm, 50mm, 75mm and 100mm diameters for the abrasive discs. Also available in a surface preparation material that is designed for smoothing surfaces prior to painting, removing rust, oxides, imperfections and blending out grit disc marks to produce fine finishes on metal. All discs are compatible with 3M ROLOC™ system holders.

| Disc Diameter | Grit | | Order Code YRK-205 | List Price/100 | Offer Price/100 |
|------------------|---------------------------|------------------------------|----------------------------|-------------------|--------------------|
| 25mm | P36 P40 P50 | 220g 220g 220g | -5020K -5030K | £27.38 £27.38 | £19.99 £19.99 |
| | P60 P80 P100 | 220g 220g 220g | -5040K -5050K -5060K | £27.38 | £19.99 |
| | P120 P180 | 220g 220g | -5080K | | £19.99 |
| 38mm | P36 P40 P50 | 320g 320g 320g | -5110K -5120K -5130K | £35.39 | £25.83 |
| | P60 P80 P100 | 320g 320g 320g | -5160K | £35.39 £35.39 | £25.83 £25.83 |
| | P180 P36 P40 P50 | 320g 620g 620g 620g | | £48.66 £48.66 | £35.52 £35.52 |
| 50mm | P60 P80 P100 | 620g 620g 620g | -5240K | £48.66 £48.66 | £35.52 £35.52 |
| | P120 P180 | 620g 620g | -5270K -5280K | £48.66 £48.66 | |
| | P36 P40 P50 | 1330g 1330g | -5310K -5320K -5330K | | £44.43 |
| 75mm | P60 P80 P100 | 1330g 1330g 1330g | -5340K | £60.86 £60.86 | £44.43 £44.43 |
| | P120 P180 | 1330g 1330g | -5370K -5380K | £60.86 £60.86 | |

Zirconia Alumina Abrasive Discs

| Disc | Grit | Weight | Order Code | List | Offer |
|----------|------|---------|------------|-----------|-----------|
| Diameter | dit | per 100 | YRK-205 | Price/100 | Price/100 |
| | P40 | 220g | -5620K | £28.00 | £20.44 |
| 25mm | P60 | 220g | -5640K | £28.00 | £20.44 |
| | P80 | 220g | -5650K | £28.00 | £20.44 |
| | P36 | 330g | -5710K | £36.40 | £26.57 |
| 38mm | P80 | 330g | -5750K | £36.40 | £26.57 |
| | P120 | 330g | -5770K | £36.40 | £26.57 |
| | P36 | 625g | -5810K | £54.01 | £39.43 |
| 50mm | P50 | 625g | -5830K | £54.01 | £39.43 |
| 30111111 | P60 | 625g | -5840K | £54.01 | £39.43 |
| | P80 | 625g | -5850K | £54.01 | £39.43 |
| | P120 | 625g | -5870K | £54.01 | £39.43 |
| | P40 | 1330g | -5920K | £74.46 | £54.36 |
| 75mm | P50 | 1330g | -5930K | £74.46 | £54.36 |
| i omin | P60 | 1330g | -5940K | £74.46 | £54.36 |
| | P80 | 1330g | -5950K | £74.46 | £54.36 |
| | | | | | |

Surface Preparation Discs

Designed for cleaning and finishing on all metals. Leaves a burr-free surface ready for



| Disc Dia | Grit | | Order Code YRK-205 | | |
|-------------|------|-------|----------------------------------|--------|---------|
| 50mm | Med | 630g | -6210K -6220K -6230K | £79.02 | £57.68 |
| 75mm | Med | 1330g | -6310K £ -6320K £ -6330K £ | 140.71 | £102.72 |




Quick Change Screw Fitting Disc Kits

Multi purpose kit containing: one of each surface preparation disc fine, medium and coarse. Two of each abrasive disc grades P36, P60, P80 and P120. One 6mm diameter



Surface Conditioning Kit

Aluminium oxide abrasive discs with quick change screw fitting. For cleaning and finishing on all metals leaving a burr-free surface ready for painting or coating. Can also be used for the removal of light rust, oxides and coatings. Suitable for use with power tools. Size: 50mm diameter discs.





Screw Fitting Disc Holders

Rubber holders to suit screw fitting discs. Supplied complete with 6mm diameter shank.

| To Suit Disc Size | Weight Per 25 | Order Code YRK-205 | | Offer Price/1 | гI | | an. |
|----------------------|------------------|-----------------------|-------|------------------|-------|----------------------|---------------|
| 25mm | 0.80kg | -6810K | £7.11 | £5.19 | | | (f)) M |
| 38mm | 0.95kg | -6820K | £7.79 | £5.69 | Ч | <u> </u> | V D " |
| 50mm | 1.00kg | -6830K | £8.60 | £6.28 | | | 1 |
| 75mm | 2.00kg | -6840K | £9.47 | £6.91 | Arbor | Holder ^{II} | Disc |

Carbide Burrs

Cut 3 - Rapid Cut

For use on softer non-ferrous and plastic materials i.e. aluminium, fibreglass, plastics, hard rubber and zinc alloy.

Cut 6 - Double Cut

Crosscut and double cut to improve control and chipbreaks. Manufactured from high grade tungsten carbide for general purpose use.

Cut 9 - Chipbreaker

Chipbreaker fast stock removal for improved control and reduced chips for use on hard materials, i.e. steel alloy 50RC, 60RC, carbon and cast iron.







Suitable for deburring and polishing of cast iron, cast steel, carbon steel, alloy steel and stainless steel etc. up to HRC65 hardness.

Please note:


- Workpiece and tools should always be steady and well supported.
- Carbide burrs are not suitable for 'milling' large amounts of material, they are for light stock removal at high rpm's 'LOW FEED - HIGH SPEED'.
- Always ensure that at least 70% of the shank length is clamped by the collet or chuck of the tool being used.
- Always ensure that the tool is rated to the recommended operating speed of the burr.

| List Diameter | Recommended Operating Speeds (rpm) | Surface Speed |
|------------------|---------------------------------------|------------------|
| 3 | 64,000 - 75,000 | |
| 6 | 32,000 - 38,000 | 600 |
| 8 | 24,000 - 28,000 | 600 - |
| 10 | 19,000 - 22,000 | 700 |
| 12 | 16,000 -18,750 | m/min |
| 16 | 12 000 - 14 000 | |

YORK Carbide ABRASIVES BUTTS

Cylindrical-End Cutting

 $\overline{\text{All}}$ sizes are nominal. Sizes marked * are 3mm shank, all others are 6mm shank.











| Head Size | Cut 3 - Rapid Cut | | | Cut 6 | Cut 6 - Double Cut | | | Cut 9 - Chipbreaker | | |
|-----------|-------------------|---------|---------|------------|--------------------|---------|------------|---------------------|---------|--|
| ØxL | Order Code | List | Offer | Order Code | List | Offer | Order Code | List | Offer | |
| (mm) | YRK-210 | Price/1 | Price/1 | YRK-210 | Price/1 | Price/1 | YRK-210 | Price/1 | Price/1 | |
| 3 x 12* | - | | | - | | | -0129K | £8.61 | £6.54 | |
| 3 x 14* | - | | | -0086K | £8.24 | £6.26 | -0089K | £8.24 | £6.26 | |
| 6 x 15* | - | | | -0126K | £12.35 | £9.39 | - | | | |
| 6 x 16 | - | | | -0166K | £18.30 | £13.91 | -0169K | £16.16 | £12.28 | |
| 6 x 19 | -0143K | £16.71 | £12.70 | - | | | | | | |
| 8 x 19 | - | | | -0206K | £20.23 | £15.37 | -0209K | £20.23 | £15.37 | |
| 10 x 19 | - | | | -0246K | £21.98 | £16.70 | -0249K | £21.98 | £16.70 | |
| 13 x 25 | - | | | -0286K | £30.70 | £23.33 | -0289K | £30.70 | £23.33 | |
| 16 x 25 | -0383K | £46.23 | £35.13 | -0406K | £42.57 | £32.35 | -0409K | £42.57 | £32.35 | |

Cylindrical Plain End

All sizes are nominal. Sizes marked * are 3mm shank, all others are 6mm shank.







| Head Size | Cut 3 - Rapid Cut | | | Cut 6 - Double Cut | | | Cut 9 - Chipbreaker | | |
|-----------|-------------------|---------|---------|--------------------|---------|---------|---------------------|---------|---------|
| ØxL | Order Code | List | Offer | Order Code | List | Offer | Order Code | List | Offer |
| (mm) | YRK-210 | Price/1 | Price/1 | YRK-210 | Price/1 | Price/1 | YRK-210 | Price/1 | Price/1 |
| 3 x 14* | - | | | -0586K | £8.24 | £6.26 | -0589K | £8.24 | £6.26 |
| 4 x 13* | - | | | - | | | -0629K | £9.47 | £7.20 |
| 6 x 13* | - | | | -0626K | £13.50 | £10.26 | - | | |
| 6 x 16 | - | | | -0666K | £14.06 | £10.69 | -0669K | £14.06 | £10.69 |
| 6 x 19 | -0643K | £14.06 | £10.69 | | | | - | | |
| 8 x 19 | - | | | -0706K | £18.36 | £13.95 | -0709K | £18.36 | £13.95 |
| 10 x 19 | -0723K | £18.37 | £13.96 | -0746K | £18.37 | £13.96 | -0749K | £18.37 | £13.96 |
| 13 x 25 | -0843K | £41.81 | £31.78 | -0786K | £17.44 | £13.25 | -0789K | £27.82 | £21.14 |
| 16 x 25 | | | | -0906K | £36.11 | £27.44 | -0909K | £48.58 | £36.92 |

Cylindrical Ball Nosed

All sizes are nominal. Sizes marked * are 3mm shank, all others are 6mm shank.







| Head Size | Cut 3 - Rapid Cut | | Cut 6 | Cut 6 - Double Cut | | | Cut 9 - Chipbreaker | | |
|-----------|-------------------|---------|---------|--------------------|---------|---------|---------------------|---------|---------|
| ØxL | Order Code | List | Offer | Order Code | List | Offer | Order Code | List | Offer |
| (mm) | YRK-210 | Price/1 | Price/1 | YRK-210 | Price/1 | Price/1 | YRK-210 | Price/1 | Price/1 |
| 3 x 14* | - | | | -1086K | £8.24 | £6.26 | -1089K | £8.24 | £6.26 |
| 6 x 13* | - | | | -1126K | £13.50 | £10.26 | -1129K | £13.50 | £10.26 |
| 6 x 16 | - | | | -1166K | £16.28 | £12.37 | -1169K | £16.28 | £12.37 |
| 8 x 19 | - | | | -1206K | £17.63 | £13.40 | -1209K | £17.63 | £13.40 |
| 10 x 19 | - | | | -1246K | £19.22 | £14.61 | -1249K | £19.22 | £14.61 |
| 11 x 25 | - | | | - | | | -1329K | £41.81 | £31.78 |
| 13 x 25 | - | | | -1326K | £41.81 | £31.78 | | | |
| 16 x 25 | - | | | -1406K | £38.85 | £29.53 | -1409K | £38.85 | £29.53 |

KENNEDY Carbide QUALITY INDUSTRIAL TOOLING BUTTS

Cylindrical-End Cutting

All sizes are nominal. Sizes marked * are 3mm shank, all others are 6mm shank.





| Head Size | Cut 3 | - Rapid (| Cut | Cut 9 - Chipbreaker | | | |
|-----------|------------|-----------|---------|---------------------|---------|---------|--|
| ØxL | Order Code | List | Offer | Order Code | List | Offer | |
| (mm) | KEN-210 | Price/1 | Price/1 | KEN-210 | Price/1 | Price/1 | |
| 3 x 14* | - | | | -0080K | £8.24 | £6.18 | |
| 6 x 12* | - | | | -0120K | £13.70 | £10.28 | |
| 6 x 18 | -0140K | £16.71 | £12.53 | -0160K | £21.35 | £16.01 | |
| 8 x 20 | - | | | -0200K | £20.23 | £15.17 | |
| 10 x 20 | -0220K | £29.60 | £22.20 | -0240K | £21.98 | £16.48 | |
| 12 x 20 | - | | | -0280K | £29.69 | £22.27 | |
| 12 x 25 | -0340K | £41.54 | £31.16 | -0360K | £30.70 | £23.02 | |
| 16 x 25 | - | | | -0400K | £42.57 | £31.93 | |
| 19 x 25 | -0480K | £70.07 | £52.55 | - | | | |

Cylindrical Plain End

All sizes are nominal. Sizes marked * are 3mm shank, all others are 6mm shank.





| Head Size | Cut 3 - Rapid Cut | | | Cut 9 - Chipbreaker | | | |
|---------------|-----------------------|------------------|-------------------|-----------------------|------------------|---------------|--|
| Ø x L (mm) | Order Code KEN-210 | List Price /1 | Offer Price /1 | Order Code KEN-210 | List Price /1 | Offer Price/1 | |
| 3 x 14* | - | 11100/ 1 | 11100/ 1 | -0580K | £8.24 | | |
| 6 x 12* | - | | | -0620K | | £10.12 | |
| 6 x 18 | - | | | -0660K | £14.06 | £10.54 | |
| 8 x 20 | - | | | -0700K | £18.36 | £13.77 | |
| 10 x 20 | -0720K | £18.37 | £13.78 | -0740K | £18.37 | £13.78 | |
| 12 x 20 | - | | | -0780K | £23.65 | £17.74 | |
| 12 x 25 | -0840K | £41.81 | £31.36 | - | | | |
| 16 x 25 | -0880K | £48.58 | £36.44 | -0900K | £48.58 | £36.44 | |
| 19 x 25 | -0980K | £53.77 | £40.33 | - | | | |

Cylindrical Ball Nosed

All sizes are nominal. Sizes marked * are 3mm shank, all others are 6mm shank.





| Head Size | Cut 3 - Rapid Cut | | | Cut 9 - Chipbreaker | | |
|-----------|-------------------|---------|---------|---------------------|---------|---------|
| ØxL | Order Code | List | | | List | Offer |
| (mm) | KEN-210 | Price/1 | Price/1 | KEN-210 | Price/1 | Price/1 |
| 3 x 12* | - | | | -1080K | £8.24 | £6.18 |
| 6 x 12* | - | | | -1120K | £13.50 | £10.12 |
| 6 x 18 | -1140K | £16.28 | £12.21 | -1160K | £16.28 | £12.21 |
| 8 x 20 | - | | | -1200K | £17.63 | £13.22 |
| 10 x 20 | -1220K | £19.22 | £14.41 | -1240K | £19.22 | £14.41 |
| 12 x 25 | -1300K | £41.81 | £31.36 | -1320K | £41.81 | £31.36 |
| 16 x 25 | - | | | -1400K | £38.85 | £29.14 |

usives &